
AMWorkflowView Class Reference

Interapplication Communication



2006-11-09



Apple Inc.
© 2006 Apple Computer, Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Mac, and Mac OS are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

AMWorkflowView Class Reference 5

Overview 5

Tasks 5

 Configuring the Workflow View 5

Instance Methods 6

 isEditable 6

 setEditable: 6

 setWorkflowController: 6

 workflowController 7

Document Revision History 9

Index 11

AMWorkflowView Class Reference

Inherits from	NSView : NSResponder : NSObject
Conforms to	NSAnimatablePropertyContainer (NSView) NSCoding (NSResponder) NSObject (NSObject)
Framework	/System/Library/Frameworks/Automator.framework
Availability	Available in Mac OS X v10.5 and later.
Declared in	AMWorkflowView.h
Companion guides	Automator Programming Guide Automator Framework Reference
Related sample code	AutoSample

Overview

You use the `AMWorkflowView` class to provide viewing and editing of Automator workflows in your application. You use an instance of `AMWorkflow` to instantiate a workflow and an instance of `AMWorkflowController` to control its execution. Together, these three classes provide a Model-View-Controller suite for working with workflows.

You can use Interface Builder to add an instance of `AMWorkflowView` to a window in your application. You can then add an `AMWorkflowController` object to the nib window and use the controller's `workflowView` outlet to connect it to the workflow view. The controller object also has `run` and `stop` actions that can be connected to buttons or other user interface elements.

Tasks

Configuring the Workflow View

- `isEditable` (page 6)
Returns a Boolean value indicating whether the workflow view is editable.
- `setEditable:` (page 6)
Sets whether the workflow view is editable.

- [setWorkflowController:](#) (page 6)
Sets the receiver's controller to the passed workflow controller.
- [workflowController](#) (page 7)
Returns the receiver's workflow controller.

Instance Methods

isEditable

Returns a Boolean value indicating whether the workflow view is editable.

- (BOOL)isEditable

Return Value

YES if the workflow view is editable, otherwise NO.

Availability

Available in Mac OS X v10.5 and later.

Declared In

AMWorkflowView.h

setEditable:

Sets whether the workflow view is editable.

- (void)setEditable:(BOOL)flag

Parameters

flag

YES to make the workflow view editable, otherwise NO.

Availability

Available in Mac OS X v10.5 and later.

Declared In

AMWorkflowView.h

setWorkflowController:

Sets the receiver's controller to the passed workflow controller.

- (void)setWorkflowController:(AMWorkflowController *)workflowController

Parameters

workflowController

The controller to set for the receiver.

workflowController

Returns the receiver's workflow controller.

```
- (AMWorkflowController *)workflowController
```

Return Value

The receiver's workflow controller, or `nil` if it doesn't have a controller.

Document Revision History

This table describes the changes to *AMWorkflowView Class Reference*.

Date	Notes
2006-11-09	New document that describes the class used to represent an Automator workflow view in an application.

REVISION HISTORY

Document Revision History

Index

I

isEditable [instance method 6](#)

S

setEditable: [instance method 6](#)
setWorkflowController: [instance method 6](#)

W

workflowController [instance method 7](#)