
NSFastEnumeration Protocol Reference

Data Management: Data Types & Collections



2007-06-27



Apple Inc.
© 2007 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Cocoa, and Objective-C are trademarks of Apple Inc., registered in the United States and other countries.

iPhone is a trademark of Apple Inc.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

NSFastEnumeration Protocol Reference 5

Overview 5

Tasks 5

 Enumeration 5

Instance Methods 5

 countByEnumeratingWithState:objects:count: 5

Constants 6

 NSFastEnumerationState 6

Document Revision History 9

Index 11

NSFastEnumeration Protocol Reference

Framework	/System/Library/Frameworks/Foundation.framework
Availability	Available in Mac OS X v10.5 and later.
Companion guide	The Objective-C Programming Language
Declared in	NSEnumerator.h

Overview

The fast enumeration protocol `NSFastEnumeration` must be adopted and implemented by objects used in conjunction with the `for` language construct used in conjunction with Cocoa objects.

The abstract class `NSEnumerator` provides a convenience implementation that uses `nextObject` to return items one at a time. For more details, see [Fast Enumeration](#).

Tasks

Enumeration

- `countByEnumeratingWithState:objects:count:` (page 5) *required method*
Returns by reference a C array of objects over which the sender should iterate, and as the return value the number of objects in the array. (required)

Instance Methods

countByEnumeratingWithState:objects:count:

Returns by reference a C array of objects over which the sender should iterate, and as the return value the number of objects in the array. (required)

- `(NSUInteger)countByEnumeratingWithState:(NSFastEnumerationState *)state
objects:(id *)stackbuf
count:(NSUInteger)len`

Parameters*state*

Context information that is used in the enumeration to, in addition to other possibilities, ensure that the collection has not been mutated.

stackbuf

A C array of objects over which the sender is to iterate.

len

The maximum number of objects to return in *stackbuf*.

Return Value

The number of objects returned in *stackbuf*. Returns 0 when the iteration is finished.

Discussion

The state structure is assumed to be of stack local memory and, from a garbage collection perspective, does not require write-barriers on stores, so you can recast the passed in state structure to one more suitable for your iteration.

Availability

Available in Mac OS X v10.5 and later.

Declared In

NSEnumerator.h

Constants

NSFastEnumerationState

This defines the structure used as contextual information in the `NSFastEnumeration` protocol.

```
typedef struct {
    unsigned long state;
    id *itemsPtr;
    unsigned long *mutationsPtr;
    unsigned long extra[5];
} NSFastEnumerationState;
```

Fields*state*

Arbitrary state information used by the iterator. Typically this is set to 0 at the beginning of the iteration.

itemsPtr

A C array of objects.

mutationsPtr

Arbitrary state information used to detect whether the collection has been mutated.

extra

A C array that you can use to hold returned values.

Discussion

For more information, see [countByEnumeratingWithState:objects:count:](#) (page 5).

Availability

Available in Mac OS X v10.5 and later.

Declared In

NSEnumerator.h

Document Revision History

This table describes the changes to *NSFastEnumeration Protocol Reference*.

Date	Notes
2007-06-27	New document that describes the protocol that supports the Objective-C 2.0 fast enumeration feature.

REVISION HISTORY

Document Revision History

Index

C

`countByEnumeratingWithState:objects:count:`
protocol instance method [5](#)

N

`NSFastEnumerationState` data type [6](#)