
ISyncUIHelper Protocol Reference

Data Management: Syncing





Apple Inc.
© 2009 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Mac, and Mac OS are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

ISyncUIHelper Protocol Reference 5

Overview 5

Tasks 5

 Customizing the Presentation of Schemas and Records 5

Instance Methods 6

 attributedStringForIdentityPropertiesWithNames:inRecord:comparisonRecords:

 firstLineAttributes:secondLineAttributes: 6

 attributedStringForPropertiesWithNames:inRecord:comparisonRecords: defaultAttributes: 7

Document Revision History 9

Index 11

ISyncUIHelper Protocol Reference

(informal protocol)

| | |
|------------------------|---|
| Framework | /System/Library/Frameworks/SyncServices.framework |
| Availability | Available in Mac OS X v10.5 and later. |
| Companion guide | Sync Services Programming Guide |
| Declared in | ISyncUIHelper.h |

Overview

`ISyncUIHelper` is an informal protocol that an object implements to provide presentation details for custom schemas to the iSync user interface. If you created a custom sync schema and want more control over the display of your records in the iSync user interface—specifically, the data change alert and conflict resolver user interfaces—then add a class that implements this protocol to your schema bundle.

You specify the class that conforms to this protocol in the sync schema using the `UIHelperClass` key. When the sync schema bundle is loaded, an instance of the `UIHelperClass` class is created to handle the presentation requests. The `UIHelperClass` class must inherit from `NSObject` or one of its subclasses. The methods in this protocol are optional.

Implement the `attributedStringForPropertiesWithNames:...` method to change the presentation of individual records. Implement the `attributedStringForIdentityPropertiesWithNames:...` method to change the presentation of a custom schema above the record in the user interface. For example, return an `NSAttributedString` object with a picture using `NSTextAttachment` or color the text.

Read *Creating a Sync Schema* in *Sync Services Programming Guide* for a complete description of a sync schema.

Tasks

Customizing the Presentation of Schemas and Records

- [attributedStringForPropertiesWithNames:inRecord:comparisonRecords:defaultAttributes:](#) (page 7)
Provides a custom presentation of a record to the data change alert and conflict resolver user interfaces.
- [attributedStringForIdentityPropertiesWithNames:inRecord:comparisonRecords:firstLineAttributes:secondLineAttributes:](#) (page 6)
Provides a custom presentation of a schema to the data change alert and conflict resolver user interfaces.

Instance Methods

attributedStringForIdentityPropertiesWithNames:inRecord:comparisonRecords: firstLineAttributes:secondLineAttributes:

Provides a custom presentation of a schema to the data change alert and conflict resolver user interfaces.

```
- (NSAttributedString *)attributedStringForIdentityPropertiesWithNames:(NSArray
    *)propertyNames inRecord:(NSDictionary *)record comparisonRecords:(NSArray
    *)comparisonRecords firstLineAttributes:(NSDictionary *)firstLineAttributes
    secondLineAttributes:(NSDictionary *)secondLineAttributes
```

Parameters

propertyNames

The names of the identity properties of *record*.

record

The record to be displayed.

comparisonRecords

An array of record dictionaries. The records are those displayed alongside this record in the user interface. If the data change alert invokes this method, this array always contains 0 or 1 records—0 if the type of change is an add or delete and 1 if the type of change is a modify. If the conflict resolver invokes this method, the array contains *n*-1 records where *n* is the number of clients involved in the conflict including this client.

firstLineAttributes

The recommended `NSAttributedString` attributes to apply to the first line of the returned attributed string.

secondLineAttributes

The recommended `NSAttributedString` attributes to apply to the second line of the returned attributed string.

Return Value

An `NSAttributedString` object for display of a schema in the data change alert or conflict resolver user interface.

The object returned should contain two lines. The first line should have the recommended attributes specified by *firstLineAttributes*, and the second line should have the attributes specified by *secondLineAttributes*.

If this method returns a value other than `nil` when multiple names are in *propertyNames*, the returned string is used to represent all the identity properties. Only one value is displayed for all the properties, next to the localized display name of the first property.

If this method returns `nil` when *propertyNames* contains more than one property, this method is invoked once for each identity property in *propertyNames*.

Availability

Available in Mac OS X v10.5 and later.

Declared In

`ISyncUIHelper.h`

attributedStringForPropertiesWithNames:inRecord:comparisonRecords:defaultAttributes:

Provides a custom presentation of a record to the data change alert and conflict resolver user interfaces.

```
- (NSAttributedString *)attributedStringForPropertiesWithNames:(NSArray
*)propertyNames inRecord:(NSDictionary *)record comparisonRecords:(NSArray
*)comparisonRecords defaultAttributes:(NSDictionary *)defaultAttributes
```

Parameters

propertyNames

The names of the properties of *record* to be displayed.

This array contains only one property name unless the property has dependent properties as defined in the schema. If it has dependent properties, the property along with its dependent property names is in this array.

record

The record to be displayed.

comparisonRecords

An array of record dictionaries. The records are those displayed along side this record in the user interface. If the data change alert invokes this method, this array always contains 0 or 1 records—0 if the type of change is an add or delete and 1 if the type of change is a modify. If the conflict resolver invokes this method, the array contains $n-1$ records where n is the number of clients involved in the conflict including this client.

defaultAttributes

The recommended `NSAttributedString` attributes that should be applied to the returned `NSAttributedString` object.

Return Value

An `NSAttributedString` object for display of a record in the data change alert or conflict resolver user interface.

If the length of the `NSAttributedString` object is greater than 0, the string is displayed as is. If the length of the `NSAttributedString` object equals 0, the standard localized string for properties with no value is displayed. If this method returns `nil`, the default string is used.

If this method returns a value other than `nil` when multiple names are in *propertyNames*, the returned string is used to represent all the dependent properties. Only one value is displayed for all the properties, next to the localized display name of the first property.

If this method returns `nil` when *propertyNames* contains more than one property, this method is invoked once for each dependent property in *propertyNames*.

Availability

Available in Mac OS X v10.5 and later.

Declared In

ISyncUIHelper.h

Document Revision History

This table describes the changes to *ISyncUIHelper Protocol Reference*.

| Date | Notes |
|------------|---|
| 2009-11-17 | Updated optional status of protocol methods. |
| 2007-10-31 | New document that describes the informal protocol of an object that provides user interface attributes to the iSync user interface. |

REVISION HISTORY

Document Revision History

Index

A

- attributedStringForIdentityPropertiesWithNames:
 - inRecord:comparisonRecords:firstLineAttributes:
secondLineAttributes: **protocol instance method** [6](#)
- attributedStringForPropertiesWithNames:inRecord:
comparisonRecords:defaultAttributes:
protocol instance method [7](#)