

# Index

---

## Numerals

---

0..255 data type A-4  
-128..127 data type A-4

## A

---

Acur data type 8-20 to 8-21  
'acur' resource type 8-13, 8-14, 8-36 to 8-37  
addMax arithmetic transfer mode 4-39, 4-40  
addOver arithmetic transfer mode 4-38, 4-40  
addPin arithmetic transfer mode 4-38, 4-40, 4-78  
AddPt procedure 2-52  
adMin arithmetic transfer mode 4-39, 4-40  
alignPix flag 6-13, 6-15, 6-25  
allDevices flag 5-30  
allInit flag 5-17, 5-23, 5-31, 5-36  
AllocCursor procedure 8-27  
AllowPurgePixels procedure 6-34 to 6-35  
angles  
  calculating 3-57  
animated cursor resources 8-13, 8-14, 8-36 to 8-37  
animated cursors  
  creating 8-13 to 8-15, 8-31 to 8-33  
  data type for 8-20 to 8-21  
  resource type for 8-36 to 8-37  
  user interface guidelines for 8-5, 8-13, 8-15  
AppendDITL procedure 9-38  
Apple events 9-25 to 9-26  
arcs  
  defined 1-14  
  drawing 3-26, 3-71 to 3-77  
  framing 3-72 to 3-73  
  low-level routine for drawing 3-134  
  . *See also* wedges  
arithmetic transfer modes 4-38 to 4-41, 4-78  
arrow cursor 8-8, 8-9 to 8-12  
arrow global variable 2-36, 8-18  
arrow region 8-9 to 8-12

## B

---

BackColor procedure 3-14, 3-124  
background colors 3-124, 4-72 to 4-73, 4-80  
background patterns

  in basic graphics ports 2-32  
  changing 3-48 to 3-49, 4-68 to 4-69  
  in color graphics ports 4-51  
  defined 3-7  
background printing 9-9  
BackPat procedure 3-48 to 3-49  
BackPixPat procedure 4-68 to 4-69  
basic graphics ports  
  bitmaps in 2-32  
  bit patterns in 2-13, 2-32  
  boundary rectangles in 2-32  
  clipping regions 2-12 to 2-13, 2-32, 2-47 to 2-49  
  closing 2-38, 2-40 to 2-41  
  color pictures in 7-6 to 7-7  
  colors in 2-14, 2-35, 3-14 to 3-15, 3-122 to 3-125  
  compared with color graphics ports 4-5 to 4-9  
  copying images between 3-32 to 3-35, 3-112 to 3-122  
  copying images from offscreen graphics worlds 6-9  
    to 6-11  
  creating 2-16 to 2-17, 2-37 to 2-40  
  data type for 2-30 to 2-35  
  defined 1-4  
  drawing areas in 2-11 to 2-13  
  getting 2-18, 2-41 to 2-42, 6-8, 6-28  
  opening 2-38 to 2-39  
  pattern stretching in 2-35  
  pen locations in 2-33  
  pen modes in 2-33  
  pen patterns in 2-33  
  pen sizes in 2-33  
  pen visibility in 2-33  
  port rectangles in 2-32  
  restoring 2-18, 2-42, 6-8, 6-29  
  saving 2-18, 2-41 to 2-42, 6-8, 6-28  
  . *See also* color graphics ports; offscreen graphics  
    worlds; printing graphics ports  
  setting 2-18, 2-42, 6-8, 6-29  
  text in 2-33 to 2-34  
  visible regions 2-32  
basic QuickDraw  
  application-defined routines for 5-35 to 5-37  
  bit patterns in 1-11  
  customizations of 3-35 to 3-36, 3-129  
  data structures in 2-26 to 2-35, 3-36 to 3-40, 5-15 to  
    5-18, 6-12 to 6-15, 7-27 to 7-29, 8-16 to 8-18, 8-20  
    to 8-21  
  drawing with 1-10 to 1-17, 3-3 to 3-141  
  graphics ports in 1-5  
  initializing 2-16, 2-36 to 2-37

printing with. *See* Printing Manager  
resources in 3-140 to 3-141, 5-37, 7-67 to 7-68, 8-33 to 8-34, 8-36 to 8-37  
routines in 2-36 to 2-54, 3-41 to 3-139, 5-19 to 5-25, 6-16 to 6-39, 7-36 to 7-46, 8-22, 8-24 to 8-31, 8-32 to 8-33  
testing for availability 2-15  
Bézier splines B-25  
BitClr procedure 4-42  
bit images  
as pixel images in offscreen graphics worlds 6-9  
in bitmaps 2-9 to 2-11, 2-29  
BitMap data type 2-29 to 2-30  
. *See also* bitmaps  
bitmaps  
as pixel maps in offscreen graphics worlds 6-3, 6-8 to 6-9  
in basic graphics ports 2-9 to 2-11, 2-32  
bit images in 2-9 to 2-11, 2-29  
boundary rectangles for 2-10 to 2-11, 2-30  
copying images between 3-32 to 3-35, 3-112 to 3-122  
data type for 2-29 to 2-30  
defined 1-5  
fill operations in 3-108 to 3-112  
local coordinate systems for 2-11  
low-level routine for copying images between 3-136  
pixels in 2-11  
BitMapToRegion function 2-49 to 2-50  
bit patterns  
background 3-6, 3-48 to 3-49  
in basic graphics ports 2-13, 2-32  
in color graphics ports 4-23 to 4-24, 4-58 to 4-59, 4-68, 4-69, 4-13  
data type for 3-40  
defined 1-11  
filling with 3-6  
framing and painting with 3-6  
of graphics pens in basic graphics ports 2-33  
predefined 3-6 to 3-8  
resources for 3-140 to 3-141  
routines for retrieving 3-126 to 3-128  
Bits16 data type 8-16  
BitsRect opcode A-11, A-21  
BitsRgn opcode A-11, A-21  
BkColor opcode A-6, A-18  
BkPat opcode A-5, A-18  
BkPixPat opcode A-6  
black-and-white QuickDraw. *See* basic QuickDraw  
black global variable 2-36, 3-7  
blend arithmetic transfer mode 4-38, 4-40, 4-78  
Boolean transfer modes 3-8 to 3-11, 4-32 to 4-38  
boundary rectangles  
in basic graphics ports 2-32  
in bitmaps 2-10 to 2-11, 2-30  
defined 1-7

bounding rectangles 3-11  
burstDevice flag 5-17, 5-23, 5-31, 5-36

## C

---

CalcCMask procedure 4-83 to 4-84  
CalcMask procedure 3-111 to 3-112  
CCrsr data type 8-18 to 8-20  
CGrafPort data type 4-48 to 4-54  
. *See also* color graphics ports  
CGrafPort records  
background pattern for 4-51  
clipping regions 2-12 to 2-13, 2-47 to 2-49, 4-51  
closing 4-67  
compared with GrafPort records 4-8 to 4-9  
copying images between 3-112 to 3-122  
copying images from offscreen graphics worlds 6-9 to 6-11  
creating 4-20 to 4-21, 4-63 to 4-66  
disposing of 4-21, 4-63, 4-67  
getting 2-18, 2-41 to 2-42, 6-8, 6-28  
opening 4-63 to 4-66  
pattern stretching in 4-53  
pen locations in 4-52  
pen modes in 4-52  
pen patterns in 4-52  
pen sizes in 4-52  
pen visibility in 4-52  
pixel maps in 4-50  
port rectangles in 4-51  
in printing graphics ports 9-51  
restoring 2-18, 2-42, 6-8, 6-29  
saving 2-18, 2-41 to 2-42, 6-8, 6-28  
setting 2-18, 2-42, 6-8, 6-29  
text in 4-53  
visible regions 4-51  
ChExtra opcode A-6  
'cicn' resource type 4-105 to 4-106  
classic QuickDraw. *See* basic QuickDraw  
ClientLineLayout picture comment B-5, B-41  
Clip opcode A-5, A-18  
clipping regions 2-12 to 2-13, 2-32, 2-47 to 2-49, 4-51  
clipPix flag 6-14, 6-15, 6-24, 6-25  
ClipRect procedure 2-49, 3-29, 7-12  
CloseCPort procedure 4-67  
ClosePicture procedure 7-11, 7-42  
ClosePoly procedure 3-79  
ClosePort procedure 2-40 to 2-41  
CloseRgn procedure 3-28, 3-89  
CloseWindow procedure 7-20  
'clut' resource type 4-104 to 4-105  
CLUT. *See* color lookup tables  
CMBeginProfile picture comment B-7

- CMDisableMatching picture comment B-7
- CMEnableMatching picture comment B-7
- CMEndProfile picture comment B-7
- 'cempt' resource type 7-68
- color banks 7-33, 7-61 to 7-62, 7-62 to 7-66
- ColorBit procedure 3-124 to 3-125
- color cursor resources 8-34 to 8-36
- color cursors
  - data structure for 8-18 to 8-20
  - displaying 8-25 to 8-27
  - resource for 8-34 to 8-36
  - user interface guidelines for 8-5
- color graphics ports
  - background pattern for 4-51
  - clipping regions 2-12 to 2-13, 2-47 to 2-49, 4-51
  - closing 4-67
  - compared with basic graphic ports 4-5 to 4-9
  - copying images between 3-112 to 3-122, 4-26 to 4-32
  - copying images from offscreen graphics worlds 6-9 to 6-11
  - creating 4-20 to 4-21, 4-63 to 4-66
  - data type for 4-48 to 4-54
  - defined 1-5
  - disposing of 4-21, 4-63, 4-67
  - getting 2-18, 2-41 to 2-42, 6-8, 6-28
  - opening 4-63 to 4-66
  - pattern stretching in 4-53
  - pen locations in 4-52
  - pen modes in 4-52
  - pen patterns in 4-52
  - pen sizes in 4-52
  - pen visibility in 4-52
  - pixel maps in 4-50
  - port rectangles in 4-51
  - restoring 2-18, 2-42, 6-8, 6-29
  - saving 2-18, 2-41 to 2-42, 6-8, 6-28
  - . *See also* basic graphics ports; offscreen graphics worlds; printing graphics ports
  - setting 2-18, 2-42, 6-8, 6-29
  - text in 4-53
  - visible regions 4-51
- color icon resources 4-105 to 4-106
- color lookup tables (CLUTs)
  - and the Palette Manager 1-20
  - and the Color Manager 1-24
  - in video devices 1-19 to 1-20
- Color Manager 1-29
  - direct colors, handling 1-25
  - indexed colors, handling 1-24
- Color Picker Utilities 1-29
- color-picking method resources 7-68
- Color QuickDraw
  - application-defined routines for 4-101 to 4-102, 5-35 to 5-37
  - checking for, when zooming windows 5-10
  - customizations of 3-129, 4-96 to 4-97
  - data structures in 4-45 to 4-62, 5-15 to 5-18, 6-12 to 6-15, 7-27 to 7-29, 8-18 to 8-20
  - direct colors, handling 1-25, 4-15 to 4-17
  - drawing with 1-10 to 1-17, 4-21 to 4-44, 4-70 to 4-79
  - graphics ports in 1-5
  - indexed colors, handling 1-24, 4-13 to 4-14
  - initializing 4-19
  - multiple graphics device support in 1-21 to 1-23
  - pixel patterns in 1-11
  - printing with. *See* Printing Manager
  - resources in 4-102 to 4-106, 5-37, 7-67 to 7-68, 8-34 to 8-36
  - routines in 4-63 to 4-97, 5-19 to 5-25, 6-16 to 6-39, 8-25 to 8-27
  - . *See also* global coordinate systems; local coordinate systems; shapes
  - testing for availability 4-18
  - 32-bit 1-4
  - user interface guidelines for 4-44
  - versions of 1-4
- colors
  - application-defined picking method 7-61 to 7-67
  - in basic graphics ports 3-14 to 3-15, 2-14, 2-35
  - in color graphics ports 4-67 to 4-105
  - determining 4-79 to 4-81, 7-26
  - on grayscale devices 4-17
  - intermediate 4-81
- color search functions 4-101 to 4-102
- ColorSpec data type 4-55 to 4-56
- ColorSync Utilities 1-29
- ColorTable data type 4-56 to 4-57
  - . *See also* color tables
- color table resources 4-104 to 4-105
- color tables
  - creating 4-92 to 4-93, 4-104 to 4-105
  - data type for 4-56 to 4-57
  - default 4-93
  - defined 4-11 to 4-12
  - disposing of 4-93
  - modifying 4-97 to 4-98
  - resource type for 4-104 to 4-105
  - . *See also* color lookup tables
- CommentSpec data type 7-30
- content areas of windows. *See* port rectangles
- coordinate planes 1-6 to 1-10
  - . *See also* global coordinate systems; local coordinate systems
- copies, to print 9-19
- CopyBits procedure 3-32 to 3-34, 3-112 to 3-118, 4-26 to 4-28, 6-6, 6-9
- CopyDeepMask procedure 3-120 to 3-122, 4-30 to 4-32, 6-10
- CopyMask procedure 3-119 to 3-120, 4-28 to 4-30, 6-10 to 6-11

CopyPixMap procedure 4-86  
 CopyPixPat procedure 4-90  
 CopyRgn procedure 3-90 to 3-91, 8-11  
 CQDProcs data type 4-60 to 4-61  
 crosshairs cursor 8-8 to 8-9  
 ' crsr ' resource type 8-34 to 8-36  
 cSpecArray data type 4-55 to 4-56  
 CTabChanged procedure 4-97 to 4-98  
 current device  
   defined 5-4  
   determining 5-26  
   setting 5-24  
 current printer  
   defined 9-3  
   device number of 9-48  
   feed type of 9-48  
 Cursor data type 8-16 to 8-18  
 cursor resources 8-13 to 8-14, 8-33 to 8-34  
 cursors  
   animating 8-13 to 8-15, 8-31 to 8-33  
   arrow 8-8, 8-9 to 8-12  
   changing 8-7 to 8-13, 8-26 to 8-27  
   color 8-18 to 8-20, 8-25 to 8-27, 8-34 to 8-36  
   crosshairs 8-8 to 8-9  
   data types for 8-16 to 8-21  
   defined 8-3 to 8-4  
   getting from resources 8-24, 8-26  
   hiding 8-28 to 8-29  
   hot spots for 8-19  
   I-beam 8-8 to 8-9, 8-9 to 8-12  
   initializing 8-6 to 8-7, 8-21 to 8-23  
   obscuring 8-29  
   plus sign 8-8 to 8-9  
   resources for 8-33 to 8-37  
   setting the appearance of 8-7  
   shielding behind rectangles 8-29  
   showing, after hiding 8-30 to 8-31  
   user interface guidelines for 8-4 to 8-5  
   wristwatch 8-8 to 8-9  
 Cursors data type 8-20  
 Cursor Utilities 8-3 to 8-43  
   data structures in 8-16 to 8-21  
   resources for 8-33 to 8-37  
   routines in 8-21 to 8-33  
 ' CURS ' resource type 8-13 to 8-14, 8-33 to 8-34

## D

---

DashedLine picture comment B-6, B-9, B-33 to B-35  
 dashed lines B-33 to B-35  
 DashedStop picture comment B-6, B-9, B-34  
 data forks 7-7

DCE (device control entry), for printer drivers 9-80 to 9-81  
 deferred printing 9-24, 9-71 to 9-72  
 DefHilite opcode A-7  
 DeltaPoint function 2-53  
 destination rectangles  
   for the DrawPicture procedure 7-18 to 7-19  
 device control entry, for printer drivers 9-80 to 9-81  
 DeviceList global variable 5-4  
 device lists  
   defined 5-4  
   getting first device in 5-26 to 5-27  
 DeviceLoopFlags data type 5-18 to 5-19  
 DeviceLoop procedure 5-8 to 5-9, 5-29 to 5-30  
 DHDVText opcode A-7, A-19  
 DHText opcode A-7, A-19  
 dialog boxes, for printing  
   altering 9-35 to 9-38, 9-63 to 9-66, 9-86  
   data structure for 9-50 to 9-51  
   displaying 9-13 to 9-15, 9-61 to 9-64  
   . *See also* job dialog boxes; print status dialog boxes;  
   style dialog boxes  
 dialog hooks 9-37, 9-38  
 Dialog Manager  
   and Printing Manager 9-5 to 9-8, 9-35 to 9-38  
   and QuickDraw 4-6  
 diameters of curvature 1-14  
 DiffRgn procedure 3-96, 8-11  
 DirectBitsRect opcode A-11  
 DirectBitsRgn opcode A-12  
 direct colors 1-19, 1-20, 1-25  
 direct devices  
   defined 4-5  
   pixel values for 4-15 to 4-17  
 discrete resolution 9-11, 9-30 to 9-32  
 DisposCCursor procedure. *See* DisposeCCursor  
   procedure  
 DisposeCTable procedure. *See* DisposeCTable  
   procedure  
 DisposeCCursor procedure 8-27  
 DisposeCTable procedure 4-93  
 DisposeGDevice procedure 5-25  
 DisposeGWorld procedure 6-6, 6-26 to 6-27  
 DisposePictInfo function 7-60  
 DisposePixMap procedure 4-87  
 DisposePixPat procedure 4-25, 4-91  
 DisposeRgn procedure 3-28, 3-90  
 DisposeScreenBuffer procedure 6-27  
 DisposeWindow procedure 7-13, 7-20  
 DisposePictInfo function. *See* DisposePictInfo  
   function  
 DisposPixMap procedure. *See* DisposePixMap  
   procedure  
 DisposPixPat procedure. *See* DisposePixPat  
   procedure

ditherCopy mode 4-37  
 dithering 4-37 to 4-38  
 ditherPix flag 6-14, 6-15, 6-24, 6-25  
 dkGray global variable 2-36, 3-7 to 3-8  
 documents  
   names for, when printing 9-27  
   printing 9-18 to 9-26, 9-66 to 9-72  
 dontMatchSeeds flag 5-30  
 draftBitsOp opcode 9-33 to 9-35, 9-52, 9-55  
 draft-quality printing 9-24, 9-55  
   . *See also* enhanced draft-quality printing  
 DrawPicture procedure 7-12, 7-18 to 7-19, 7-44 to 7-45  
 DVText opcode A-7, A-19

## E

---

eight-color system 3-14 to 3-15, 3-122 to 3-125  
 EmptyRect function 3-58  
 EmptyRgn function 3-99  
 EndFormsPrinting picture comment B-7, B-41  
 EndofPicture opcode A-21  
 enhanced draft-quality printing 9-33 to 9-35, 9-55, 9-73  
 EqualPt function 2-54  
 EqualRect function 3-58  
 EqualRgn function 3-98  
 eraseArc opcode A-9, A-20  
 EraseArc procedure 3-76  
 eraseOval opcode A-9, A-20  
 EraseOval procedure 3-70  
 erasePoly opcode A-10, A-20  
 ErasePoly procedure 3-84  
 eraseRect opcode A-8, A-19  
 EraseRect procedure 3-61 to 3-62, 4-35, 5-10, 6-11  
 eraseRgn opcode A-10, A-21  
 EraseRgn procedure 3-102 to 3-103  
 EraseRoundRect procedure 3-66 to 3-67  
 eraseRRect opcode A-8, A-19  
 eraseSameArc opcode A-10, A-20  
 eraseSameOval opcode A-9, A-20  
 eraseSamePoly opcode A-10, A-21  
 eraseSameRect opcode A-8, A-19  
 eraseSameRgn opcode A-11, A-21  
 eraseSameRRect opcode A-8, A-19  
 erasing shapes 3-12  
 error handling  
   for Color QuickDraw routines 4-94 to 4-95  
   for printing 9-41 to 9-42, 9-73, 9-75 to 9-78  
 event filter functions 9-36, 9-38  
 ext32Device flag 5-17, 5-23, 5-31, 5-36  
 extended version 2 format 7-5 to 7-6, 7-37 to 7-39, A-3, A-5 to A-14, A-23 to A-24

## F

---

feed types 9-48  
 FgColor opcode A-6, A-18  
 File menu  
   Page Setup command 9-5 to 9-7  
   Print command 9-5 to 9-6, 9-7 to 9-8  
 fillArc opcode A-9, A-20  
 FillArc procedure 3-75  
 FillCArc procedure 4-76  
 FillCOval procedure 4-75  
 FillCPoly procedure 4-76 to 4-77  
 FillCRect procedure 4-25, 4-74  
 FillCRgn procedure 4-77  
 FillCRoundRect procedure 4-74 to 4-75  
 filling shapes 3-12, 3-108 to 3-112  
 fillOval opcode A-9, A-20  
 FillOval procedure 3-69 to 3-70  
 FillPat opcode A-6  
 fill patterns  
   in basic graphics ports 2-32  
   in color graphics ports 4-74 to 4-77  
 FillPixPat opcode A-6  
 fillPoly opcode A-10, A-20  
 FillPoly procedure 3-30, 3-83 to 3-84  
 fillRect opcode A-8, A-19  
 FillRect procedure 3-23 to 3-24, 3-60 to 3-61, 4-22  
 fillRgn opcode A-11, A-21  
 FillRgn procedure 3-28, 3-102  
 FillRoundRect procedure 3-65 to 3-66  
 fillRRect opcode A-8, A-19  
 fills  
   calculating black-and-white 3-108 to 3-112  
   calculating color 4-82 to 4-84  
 fillSameArc opcode A-10, A-20  
 fillSameOval opcode A-9, A-20  
 fillSamePoly opcode A-10, A-21  
 fillSameRect opcode A-8, A-19  
 fillSameRgn opcode A-11, A-21  
 fillSameRRect opcode A-8, A-20  
 FindControl function 2-19  
 Finder, printing from 9-25 to 9-26, 9-66  
 Fixed data type A-4  
 fontName opcode A-7  
 FontSpec data type 7-30 to 7-32  
 font substitution B-11 to B-14  
 ForeColor procedure 3-14, 3-123  
 foreground colors 3-123, 3-124 to 3-125, 4-21 to 4-23, 4-70 to 4-71, 4-79  
 formats for pictures  
   extended version 2 7-5 to 7-6, 7-37 to 7-39, A-3, A-5 to A-14, A-23 to A-24  
   version 1 7-5 to 7-6, A-3, A-5, A-18 to A-21, A-25 to A-26

- version 2 7-5 to 7-6, 7-39, A-3, A-5 to A-16, A-24 to A-25
  - FormsPrinting picture comment B-7, B-41
  - FractEnable global variable B-15
  - frameArc opcode A-9, A-20
  - FrameArc procedure 3-26, 3-72 to 3-73
  - frameOval opcode A-9, A-20
  - FrameOval procedure 3-25, 3-68
  - framePoly opcode A-10, A-20
  - FramePoly procedure 3-81 to 3-82
  - frameRect opcode A-8, A-19
  - FrameRect procedure 3-22 to 3-23, 3-59
  - frameRgn opcode A-10, A-21
  - FrameRgn procedure 3-100 to 3-101
  - FrameRoundRect procedure 3-64
  - frameRRect opcode A-8, A-19
  - frameSameArc opcode A-10, A-20
  - frameSameOval opcode A-9, A-20
  - frameSamePoly opcode A-10, A-20
  - frameSameRect opcode A-8, A-19
  - frameSameRgn opcode A-11, A-21
  - frameSameRRect opcode A-8, A-19
  - framing shapes 3-12
  - FSpOpenDF function 7-14
- G**
- 
- gdDevType flag 5-17, 5-23, 5-31, 5-33, 5-34, 5-36
  - GDeviceChanged procedure 4-100
  - GDevice data type 5-15 to 5-18
    - . See also graphics devices
  - GDevice records
    - creating 5-20 to 5-23
    - disposing of 5-25
    - for multiple devices 1-21 to 1-23
    - getting available 5-25 to 5-28
    - modifying 4-100
    - . See also graphics devices
    - setting attributes for 5-22 to 5-23
    - setting for current device 5-24
    - with greatest pixel depth 5-27 to 5-28
  - gestaltQuickDrawFeatures selector 4-19
  - gestaltQuickDrawVersion selector 4-18
  - GetBackColor procedure 4-80
  - GetCCursor function 8-26
  - GetClip procedure 2-47, 3-29
  - GetCPixel procedure 4-80 to 4-81
  - GetCTable function 4-92 to 4-93
  - GetCursor function 8-11, 8-24
  - GetDeviceList function 5-11, 5-26 to 5-27
  - GetForeColor procedure 4-79
  - GetGDevice function 5-26
  - GetGray function 4-81
  - GetGWorldDevice function 6-30
  - GetGWorldPixmap function 6-6, 6-31 to 6-32
  - GetGWorld procedure 6-6, 6-28
  - GetIndPattern procedure 3-127 to 3-128
  - GetMainDevice function 5-11, 5-27
  - GetMaxDevice function 5-27 to 5-28
  - GetNewCWindow function 2-16 to 2-17, 4-20
  - GetNewWindow function 2-16 to 2-17, 4-20
  - GetNextDevice function 5-11, 5-28
  - GetPattern function 3-126 to 3-127
  - GetPen procedure 3-43
  - GetPenState procedure 3-43
  - GetPictInfo function 7-25, 7-47 to 7-50
  - GetPicture function 7-46
  - GetPixBaseAddr function 6-38 to 6-39
  - GetPixel function 2-54 to 2-55
  - GetPixelsState function 6-36 to 6-37
  - GetPixmapInfo function 7-50 to 7-52
  - GetPixPat function 4-25, 4-88
  - GetPort procedure 2-18, 2-41 to 2-42
  - getRotnOp opcode 9-32 to 9-33, 9-52, 9-56
  - getRslDataOp opcode 9-30 to 9-32, 9-53 to 9-54
  - GetWindowPic function 7-13
  - global coordinate systems
    - across multiple screens 1-21
    - converting to local coordinate systems 2-19, 2-51
    - defined 1-6 to 1-10
  - GlobalToLocal procedure 2-19, 2-51
  - global variables
    - arrow 2-36, 8-18
    - black 2-36, 3-7
    - DeviceList 5-4
    - dkGray 2-36, 3-7 to 3-8
    - FractEnable B-15
    - gray 2-36, 3-7
    - HiliteRGB 4-42
    - ltGray 2-36, 3-7
    - MainDevice 5-27
    - PrintErr 9-78
    - QDColors 4-71
    - randSeed 2-36
    - screenBits 2-36
    - ScrHRes 5-32
    - ScrVRes 5-32
    - TheGDevice 5-4
    - thePort 2-36
    - TopMapHdl 9-39
    - white 2-36, 3-7
  - glyphs B-12
  - GrafPort data type 2-30 to 2-35
    - . See also basic graphics ports
  - GrafPort records
    - bitmaps in 2-32
    - bit patterns in 2-13, 2-32
    - boundary rectangles in 2-32

- clipping regions 2-12 to 2-13, 2-32, 2-47 to 2-49
  - closing 2-38, 2-40 to 2-41
  - and color pictures 7-6 to 7-7
  - colors in 2-14, 2-35, 3-14 to 3-15, 3-122 to 3-125
  - compared with CGrafPort records 4-8 to 4-9
  - copying images between 3-32 to 3-35, 3-112 to 3-122
  - copying images from offscreen graphics worlds 6-9 to 6-11
  - creating 2-16 to 2-17, 2-37 to 2-40
  - drawing areas in 2-11 to 2-13
  - getting 2-18, 2-41 to 2-42, 6-8, 6-28
  - opening 2-38 to 2-39
  - pattern stretching in 2-35
  - pen locations in 2-33
  - pen modes in 2-33
  - pen patterns in 2-33
  - pen sizes in 2-33
  - pen visibility in 2-33
  - port rectangles in 2-32
  - in printing graphics ports 9-51
  - restoring 2-18, 2-42, 6-8, 6-29
  - saving 2-18, 2-41 to 2-42, 6-8, 6-28
  - setting 2-18, 2-42, 6-8, 6-29
  - text in 2-33 to 2-34
  - visible regions 2-32
  - GrafVars data type 4-62
  - GrafVerb data type 3-132
  - graphics device records. *See* GDevice records
  - graphics devices 5-3 to 5-44
    - application-defined routine for 5-35 to 5-37
    - data structures in 5-15 to 5-18
    - defined 5-3
    - determining characteristics of 5-8 to 5-9, 5-29 to 5-32
    - getting handles to 5-25 to 5-28
    - initialization 1-22 to 1-23
    - optimizing images for 5-8 to 5-13, 5-29 to 5-30, 5-35 to 5-37
    - resource for 5-37
    - routines for 5-19 to 5-25
    - . *See also* GDevice records
    - testing for availability 5-8
    - with greatest pixel depth 5-27 to 5-28
  - graphics pens
    - attributes of 1-11, 2-33, 3-4 to 3-5, 4-52
    - bit patterns for 3-20 to 3-21, 3-43, 3-48 to 3-49
    - colors for 3-123, 4-21 to 4-26, 4-67 to 4-68, 4-70 to 4-71
    - defined 1-5
    - drawing with 1-10 to 1-17
    - in graphics ports 2-13
    - initial values 3-48
    - invisible state 3-42
    - locations of 3-43
    - moving 3-17, 3-18 to 3-19, 3-50 to 3-51
    - pattern modes 3-43 to 3-48
    - pixel patterns for 4-67 to 4-68
    - routines for managing 3-41 to 3-48
    - sizes of 3-19 to 3-20, 3-43 to 3-44, 3-48
    - visible state 3-42
  - graphics port records. *See* CGrafPort records; GrafPort records; TPrPort records
  - graphics ports
    - background patterns in 2-32
    - clipping regions 2-12 to 2-13, 2-47 to 2-49
    - copying images between 3-32 to 3-35, 3-112 to 3-122
    - creating 1-7 to 1-8
    - data types for 2-30 to 2-35, 4-48 to 4-54, 9-51 to 9-52
    - defined 1-4
    - drawing areas in 2-11 to 2-13
    - fill patterns in 2-32
    - getting 2-18, 2-41 to 2-42
    - graphics pens in 2-13
    - local coordinate systems in 2-13
    - modifying 4-99 to 4-100
    - patterns in 2-13
    - port rectangles in 2-11
    - printing in 9-4 to 9-5, 9-15 to 9-35, 9-66 to 9-74, B-3 to B-42
    - restoring 2-18, 2-42, 6-8, 6-27 to 6-29
    - saving 2-18, 2-41 to 2-42, 6-8, 6-27 to 6-29
    - . *See also* basic graphics ports; color graphics ports; offscreen graphics worlds; printing graphics ports
    - setting 2-18, 2-42, 6-8, 6-27 to 6-29
    - text in 2-13
    - visible regions 2-12
    - as windows 1-7 to 1-8
  - gray global variable 2-36, 3-7
  - grayscale devices
    - colors on 4-17
  - gwFlagErr flag 6-14
  - GWorldFlags data type 6-13 to 6-15
  - GWorldPtr data type 6-12
  - GWorld. *See* offscreen graphics worlds
- ## H
- 
- hairlines B-35 to B-37
  - HasDepth function 5-13, 5-33 to 5-34
  - header information A-3
  - HeaderOp opcode A-3, A-13
  - Hide\_Cursor procedure 8-28
  - HideCursor procedure 8-28
  - HidePen procedure 3-42
  - highlighting 4-41 to 4-44, 4-78 to 4-79
  - HiliteColor opcode A-7
  - HiliteColor procedure 4-78 to 4-79
  - hilite mode 4-44
  - HiliteMode opcode A-7

HiliteRGB global variable 4-42  
 histograms 7-61, 7-63 to 7-64  
 hot spots 8-4, 8-19

---

**I**


---

I-beam cursor 8-9 to 8-12  
 I-beam region 8-9 to 8-12  
 idle procedures 9-13 to 9-15, 9-21, 9-38 to 9-41, 9-85  
 images  
   copying 3-112 to 3-122, 4-26 to 4-32, 6-9 to 6-11  
   scrolling 2-20 to 2-26, 2-43 to 2-44  
 ImageWriter LQ printers B-7  
 imaging, defined 1-3  
 indexed colors 1-19 to 1-20, 1-24 to 1-25  
 indexed devices  
   defined 4-5  
   pixel values for 4-13 to 4-14  
 InitCPort procedure 4-66  
 InitCursorCtl procedure 8-7, 8-22 to 8-23  
 InitCursor procedure 8-7, 8-22  
 InitGDevice procedure 5-21 to 5-22  
 InitGraf procedure 2-36 to 2-37  
 initialization, of graphics system 1-22 to 1-23  
 InitPort procedure 2-39 to 2-40  
 InsetRect procedure 3-54  
 InsetRgn procedure 3-93 to 3-94  
 Integer data type A-4  
 inverse tables  
   defined 5-5  
 invertArc opcode A-9, A-20  
 InvertArc procedure 3-77  
 inverting shapes 3-13  
 invertOval opcode A-9, A-20  
 InvertOval procedure 3-71  
 invertPoly opcode A-10, A-20  
 InvertPoly procedure 3-85  
 invertRect opcode A-8, A-19  
 InvertRect procedure 3-62  
 invertRgn opcode A-10, A-21  
 InvertRgn procedure 3-103 to 3-104  
 InvertRoundRect procedure 3-67 to 3-68  
 invertRRect opcode A-8, A-19  
 invertSameArc opcode A-10, A-20  
 invertSameOval opcode A-9, A-20  
 invertSamePoly opcode A-10, A-21  
 invertSameRect opcode A-8, A-19  
 invertSameRgn opcode A-11, A-21  
 invertSameRRect opcode A-8, A-20

---

**J**


---

job dialog boxes  
   altering 9-35 to 9-38, 9-63 to 9-64, 9-65, 9-86  
   defined 9-6  
   displaying 9-62 to 9-63  
   for LaserWriter printers 9-8  
   for multiple documents 9-26, 9-66  
   for StyleWriter printers 9-7 to 9-8

---

**K**


---

keepLocal flag 6-13, 6-14, 6-18, 6-20, 6-24  
 KillPicture procedure 7-13, 7-42 to 7-43  
 KillPoly procedure 3-30, 3-80 to 3-81

---

**L**


---

landscape printing 9-32 to 9-33, 9-34, 9-56, 9-73  
 LaserWriter printers 9-7, 9-76, B-7  
 LaserWriter SC printers B-7  
 LineFrom opcode A-7, A-19  
 lineJustify opcode A-7  
 line layout, disabling and enabling B-11 to B-17  
 line layout error B-12 to B-16  
 LineLayoutOff picture comment B-5, B-15 to B-16,  
   B-17  
 LineLayoutOn picture comment B-5, B-15, B-17  
 Line opcode A-7, A-19  
 Line procedure 3-18 to 3-19, 3-51 to 3-52  
 lines  
   defined 1-12  
   defining 3-11 to 3-12  
   drawing 3-17 to 3-21, 3-49 to 3-52  
   low-level routine for drawing 3-132  
   printing, with picture comments B-33 to B-37  
 LineTo procedure 3-17 to 3-18, 3-51  
 local coordinate systems  
   for bitmaps 2-11  
   converting to global coordinate systems 2-19, 2-52  
   defined 1-7 to 1-10  
   in graphics ports 2-13  
 LocalToGlobal procedure 2-52  
 LockPixels function 6-6, 6-32 to 6-33  
 LongComment opcode A-12, A-21  
 Long data type A-4  
 LongText opcode A-7, A-19  
 LtGray global variable 2-36, 3-7  
 luminance 4-17



## M

---

magic pen B-8  
   . *See also* pattern modes  
 MainDevice global variable 5-27  
 main screen  
   defined 1-21  
   determining 5-27  
 mainScreen flag 5-17, 5-23, 5-31, 5-36  
 major error B-13 to B-14  
 major glyphs B-12 to B-14  
 MakeRGBPat procedure 4-90 to 4-91  
 mapPix flag 6-13, 6-15, 6-25  
 MapPoly procedure 3-108  
 MapPt procedure 3-106  
 MapRect procedure 3-106 to 3-107  
 MapRgn procedure 3-107  
 MatchRec data type 4-57  
 minor error B-13 to B-14  
 minor glyphs B-12 to B-14  
 -128..127 data type A-4  
 Mode data type A-4  
 mouse region 8-9 to 8-12  
 MovePortTo procedure 2-46 to 2-47  
 Move procedure 3-18 to 3-19, 3-50 to 3-51  
 MoveTo procedure 3-17 to 3-18, 3-50  
 multiple graphics devices 1-21 to 1-23  
 MyCalcColorTable function 7-65 to 7-66  
 MyColorSearch function 4-101 to 4-102  
 MyDisposeColorPickMethod function 7-67  
 MyDoPrintIdle procedure 9-85  
 MyDrawingProc procedure 5-36 to 5-37  
 MyInitPickMethod function 7-62 to 7-64  
 MyPrDialogAppend function 9-86  
 MyRecordColors function 7-64 to 7-65

## N

---

newDepth flag 6-13, 6-15, 6-25  
 NewGDevice function 5-20 to 5-21  
 NewGWorld function 6-5 to 6-7, 6-16 to 6-21  
 NewPictInfo function 7-53 to 7-55  
 NewPixMap function 4-85 to 4-86  
 NewPixPat function 4-88 to 4-89  
 NewRgn function 3-28, 3-87  
 newRowBytes flag 6-13, 6-15, 6-25  
 NewScreenBuffer function 6-21 to 6-22  
 NewTempScreenBuffer function 6-22 to 6-23  
 noDraftBitsOp opcode 9-52, 9-55  
 noDriver flag 5-17, 5-23, 5-31, 5-36  
 noNewDevice flag 6-13, 6-14, 6-18, 6-20, 6-30  
 NOP opcode A-5, A-18  
 NoPurgePixels procedure 6-35

notPatBic pattern mode 3-9 to 3-10, 3-45  
 notPatCopy pattern mode 3-9 to 3-10, 3-45  
 notPatOr pattern mode 3-9 to 3-10, 3-45  
 notPatXor pattern mode 3-9 to 3-10, 3-45  
 notSrcBic source mode 3-9 to 3-10, 3-114, 3-116  
 notSrcCopy source mode 3-9 to 3-10, 3-114, 3-115,  
   4-33, 4-34  
 notSrcOr source mode 3-9 to 3-10, 3-114, 3-115, 4-33,  
   4-34  
 notSrcXor source mode 3-9 to 3-10, 3-114, 3-116, 4-33

## O

---

ObscureCursor procedure 8-29  
 offscreen graphics worlds 6-3 to 6-46  
   copying images from 6-9 to 6-11  
   creating 6-5 to 6-7, 6-16 to 6-23  
   data structures in 6-12 to 6-15  
   defined 6-3  
   disposing of 6-26 to 6-27  
   drawing into 6-8 to 6-9  
   restoring 6-8, 6-27 to 6-29  
   routines for 6-16 to 6-39  
   saving 6-8, 6-27 to 6-29  
   setting 6-8, 6-27 to 6-29  
   testing for availability 6-5  
   updating 6-9, 6-23 to 6-26  
 OffsetPoly procedure 3-80  
 OffsetRect procedure 3-53 to 3-54  
 OffsetRgn procedure 3-93  
 Opcode data type A-4  
 opcodes 7-6  
   for pictures A-3 to A-26  
   for the PrGeneral procedure 9-52, 9-72 to 9-74  
 OpColor opcode A-7  
 OpColor procedure 4-78  
 OpenCPicParams records 7-29  
 OpenCPicture function 7-11, 7-37 to 7-39  
 OpenCPort procedure 4-64 to 4-65  
 OpEndPic opcode A-3, A-12  
 OpenPicture function 7-39 to 7-40  
 OpenPoly function 3-30, 3-78 to 3-79  
 OpenPort procedure 2-38 to 2-39  
 OpenRgn procedure 3-28, 3-87 to 3-88  
 original Color QuickDraw. *See* Color QuickDraw  
 Origin opcode A-6, A-18  
 origins. *See* window origins  
 ovals  
   defined 1-13  
   drawing 3-25, 3-68 to 3-71  
   erasing 3-70  
   filling  
     with bit patterns 3-69 to 3-70

- with pixel patterns 4-75
- framing 3-68
- inverting 3-71
- painting 3-69
  - and rounded rectangles 1-14
- OvSize opcode A-6, A-18

## P

---

PackBitsRect opcode A-11, A-21  
 PackBitsRgn opcode A-11, A-21  
 page rectangles 9-10 to 9-11, 9-46  
 pages
 

- determining number to print 9-19, 9-23
- orientation of 9-32 to 9-33
- printable area for 9-10 to 9-11
- printing 9-19 to 9-24, 9-69 to 9-70

 Page Setup command (File menu) 9-5 to 9-7  
 paintArc opcode A-9, A-20  
 PaintArc procedure 3-26, 3-73 to 3-74  
 painting shapes 3-12  
 paintOval opcode A-9, A-20  
 PaintOval procedure 3-69  
 paintPoly opcode A-10, A-20  
 PaintPoly procedure 3-82 to 3-83  
 paintRect opcode A-8, A-19  
 PaintRect procedure 3-23 to 3-24, 3-60, 4-22, 4-25  
 paintRgn opcode A-10, A-21  
 PaintRgn procedure 3-101  
 PaintRoundRect procedure 3-64 to 3-65  
 paintRRect opcode A-8, A-19  
 paintSameArc opcode A-10, A-20  
 paintSameOval opcode A-9, A-20  
 paintSamePoly opcode A-10, A-21  
 paintSameRect opcode A-8, A-19  
 paintSameRgn opcode A-11, A-21  
 paintSameRRect opcode A-8, A-19  
 Palette Manager 1-20, 1-29  
 paper rectangles 9-10  
 'PAT#' resource type 3-127 to 3-128, 3-141  
 patBic pattern mode 3-9 to 3-10, 3-45  
 patCopy pattern mode 3-9 to 3-10, 3-45  
 patOr pattern mode 3-9 to 3-10, 3-45  
 'PAT ' resource type 3-126 to 3-127, 3-140  
 Pattern data type 3-40, A-4
 

- . See also bit patterns

 pattern list resources 3-127 to 3-128, 3-141  
 pattern modes 3-8 to 3-11, 4-33
 

- changing 3-45 to 3-46
- "magic," for PostScript printers B-22, B-30 to B-32, B-34

 pattern resources 3-126 to 3-127, 3-140  
 patterns

background, in basic graphics ports 2-32  
 background, in color graphics ports 4-68 to 4-69  
 in basic graphics ports 2-13, 2-32  
 changing 3-47 to 3-49, 4-68 to 4-69  
 data types for 3-40, 4-58 to 4-60  
 defined 1-11  
 fill, in basic graphics ports 2-32  
 fill, in color graphics ports 4-74 to 4-77  
 of graphics pens in basic graphics ports 2-33  
 of graphics pens in color graphics ports 4-67 to 4-68  
 resources for 3-140 to 3-141, 4-103
 

- . See also bit patterns; pixel patterns
- stretching for printer output 2-35, 4-53

 patXor pattern mode 3-9 to 3-10, 3-45  
 PenMode procedure 3-45 to 3-46, B-22, B-30 to B-32, B-34  
 pen modes. See pattern modes  
 PenNormal procedure 3-48  
 PenPat procedure 3-20 to 3-21, 3-47  
 PenPixPat procedure 4-67 to 4-68  
 PenSize procedure 3-19 to 3-20, 3-44  
 pens. See graphics pens  
 pen state 3-37 to 3-38  
 PenState data type 3-37 to 3-38  
 Personal LaserWriter LS printers B-7  
 PicComment procedure 7-40 to 7-42, B-3 to B-41  
 'PICT' file type 7-7, 7-13 to 7-16, 7-21 to 7-23  
 PictInfo data type 7-32 to 7-36  
 'PICT' resource type 7-7, 7-20, 7-46, 7-67 to 7-68  
 'PICT' scrap format 7-7 to 7-8, 7-17, 7-22  
 picture comments 7-40 to 7-42, B-3 to B-44
 

- defined 7-6
- delimiting text strings with B-16 to B-17
- device independence and printing B-8 to B-9
- disabling and enabling line layout with B-11 to B-12
- graphics rotation with B-29 to B-32
- inserting into pictures or printing code 7-40 to 7-42
- limited or obsolete B-40 to B-41
- low-level routine for processing 3-137
- matching colors with B-7
- printing dashed lines with B-33 to B-35
- printing graphics with B-6, B-22 to B-32
- printing hairlines with B-35 to B-37
- printing polygons with B-23 to B-29
- printing ruled lines with B-6, B-33 to B-37
- printing text with B-5, B-11 to B-22
- sending PostScript printing code with B-6, B-38 to B-40
- synchronizing between QuickDraw and PostScript printer drivers B-10 to B-11
- text rotation with B-17 to B-22

 Picture data type 7-27 to 7-28
 

- . See also pictures

 picture opcodes A-3 to A-26  
 picture resources 7-7, 7-20, 7-46, 7-67 to 7-68

- pictures
  - collecting information from 7-24 to 7-26, 7-46 to 7-50, 7-53 to 7-57, 7-58 to 7-60
  - color, in basic graphics ports 7-6 to 7-7
  - creating 7-10 to 7-13, 7-37 to 7-42
  - data type for 7-27 to 7-28
  - defined 1-16, 7-4
  - destination rectangles for 7-18 to 7-19
  - disposing of 7-13, 7-20, 7-42 to 7-43
  - drawing 7-10 to 7-20, 7-43 to 7-45
  - extended version 2 format 7-5 to 7-6, 7-37 to 7-39, A-3, A-5 to A-14, A-23 to A-24
  - low-level routines for 3-138 to 3-139
  - opcodes for 7-6
  - opening 7-13 to 7-20
  - in 'PICT' files 7-7, 7-13 to 7-16, 7-21 to 7-23
  - in 'PICT' resources 7-7, 7-20, 7-22, 7-46
  - reading from a resource file 7-46
  - resolutions for 7-11, 7-19
  - saving 7-21 to 7-23
  - in the scrap 7-7 to 7-8, 7-17, 7-22
  - version 1 format 7-5 to 7-6, A-3, A-5, A-18 to A-21, A-25 to A-26
  - version 2 format 7-5 to 7-6, 7-39, A-3, A-5 to A-16, A-24 to A-25
  - and the Window Manager 7-13
- Picture Utilities
  - application-defined routines for 7-61 to 7-67
  - data structures in 7-30 to 7-36
  - defined 7-8
  - gathering information with 7-24 to 7-26
  - routines in 7-46 to 7-60
  - testing for availability 7-10
- picVersion opcode A-19
- PixData data type A-4, A-15
- pixel depths
  - default color tables for 4-93
  - defined 4-10
  - determining 5-8 to 5-13, 5-29 to 5-30, 5-33 to 5-34
  - setting 5-13, 5-34 to 5-35
- pixel images
  - addresses of, for offscreen graphics worlds 6-38 to 6-39
  - defined 4-10 to 4-12
  - getting states of, for offscreen graphics worlds 6-36 to 6-37
  - locking, for offscreen graphics worlds 6-32 to 6-33
  - in pixel maps 4-10 to 4-12
  - purgeable, for offscreen graphics worlds 6-34 to 6-35
  - setting states, for offscreen graphics worlds 6-37 to 6-38
  - unlocking, for offscreen graphics worlds 6-33 to 6-34
  - unpurgeable, for offscreen graphics worlds 6-35
  - whether in 32-bit mode, for offscreen graphics worlds 6-39
- pixel maps
  - copying images between 3-112 to 3-122, 4-26 to 4-32
  - creating 4-85 to 4-86
  - data type for 4-46 to 4-48
  - defined 1-5, 4-9
  - disposing of 4-87
  - gathering color information from 7-50 to 7-55, 7-57 to 7-60
  - low-level routine for copying images between 3-136
  - obtaining, for offscreen graphics worlds 6-31 to 6-32
  - pixel images in 4-10 to 4-12
  - setting 4-86 to 4-87
- pixel pattern resources 4-24 to 4-25, 4-103
- pixel patterns
  - background 4-68 to 4-69
  - creating 4-88 to 4-91, 4-103
  - data type for 4-58 to 4-60
  - defined 1-11, 4-12 to 4-13
  - disposing of 4-91
  - filling with 4-23 to 4-26, 4-74 to 4-77
  - framing and painting with 4-23 to 4-26
  - of graphics pens 4-23 to 4-26, 4-67 to 4-68
  - modifying 4-98 to 4-99
  - resources for 4-24 to 4-25, 4-103
- pixels
  - in bitmaps 2-11
  - colors for
    - in basic QuickDraw eight-color system 3-14 to 3-15, 3-122 to 3-125
    - in Color QuickDraw 4-4 to 4-5, 4-10 to 4-11, 4-13 to 4-17, 4-21 to 4-44
  - copying between bitmaps 3-32 to 3-35, 3-112 to 3-122
  - copying between pixel maps 3-32 to 3-35, 3-112 to 3-122, 4-26 to 4-32
  - copying from offscreen graphics worlds 3-112 to 3-122, 6-9 to 6-11
  - defined 1-4
  - depths of. *See* pixel depths
  - patterns for. *See* bit patterns, pixel patterns
  - relationship to points 1-9
  - scrolling 2-20 to 2-26, 2-43 to 2-44
  - values for. *See* pixel values
  - whether black or white 2-54 to 2-55
  - whether in rectangles 3-56
  - whether in regions 3-97
- pixelsLocked flag 6-13, 6-15, 6-36, 6-37
- pixelsPurgeable flag 6-13, 6-14, 6-36, 6-37
- pixel values
  - as RGB colors 4-13 to 4-17
  - defined 4-11
  - for direct devices 4-15 to 4-17
  - for indexed devices 4-13 to 4-14
- Pixmap32Bit function 6-39
- Pixmap data type 4-46 to 4-48
  - . *See also* pixel maps

- Pixmap records
  - copying images between 3-112 to 3-122
  - creating 4-85 to 4-86
  - disposing of 4-87
  - low-level routine for copying images between 3-136
  - obtaining, for offscreen graphics worlds 6-31 to 6-32
  - pixel images in 4-10 to 4-12
  - setting 4-86 to 4-87
- PixPatChanged procedure 4-98 to 4-99
- PixPat data type 4-58 to 4-60
  - . See also pixel patterns
- PixPatHandle data type 4-58
- pixPurge flag 6-13, 6-14, 6-18, 6-19
- plus sign cursor 8-8 to 8-9
- PnLocHFrac opcode A-6
- PnMode opcode A-6, A-18
- PnPat opcode A-6, A-18
- PnPixPat opcode A-6
- PnSize opcode A-6, A-18
- Point data type 2-27, A-4
  - . See also points
- points
  - adding coordinates of 2-52
  - assigning coordinates to 2-54
  - changing between global and local 2-19, 2-51 to 2-52
  - comparing coordinates of 2-54
  - coordinates for 2-4 to 2-5
  - data type for 2-27
  - defined 1-9 to 1-10
  - mapping between rectangles 3-106
  - rectangles around 3-56
  - relationship to pixels 1-9
  - routines for managing 2-51 to 2-54, 3-104 to 3-106
  - subtracting coordinates of 2-53
  - used for defining rectangles 2-5 to 2-6
  - whether in rectangles 3-56
  - whether in regions 3-97
- PolyBegin picture comment B-6, B-24, B-28
- PolyClose picture comment B-6, B-24
- Poly data type A-4
- PolyEnd picture comment B-6, B-24
- Polygon data type 3-37
  - . See also polygons
- polygons
  - closing 3-79
  - creating 3-78 to 3-79
  - data type for 3-37
  - defined 1-15
  - defining 3-30
  - disposing of 3-80 to 3-81
  - drawing 3-81 to 3-85
  - erasing 3-84
  - filling
    - with bit patterns 3-83 to 3-84
    - with pixel patterns 4-76 to 4-77
  - framing 3-81 to 3-82
  - inverting 3-85
  - low-level routine for drawing 3-135
  - mapping and scaling 3-108
  - moving 3-80
  - painting 3-82 to 3-83
  - routines for managing 3-78 to 3-85, 3-108
  - smoothed, on PostScript printers B-23 to B-29
- PolyIgnore picture comment B-6, B-24, B-27 to B-28
- PolySmooth picture comment B-6, B-24 to B-28
- PortChanged procedure 4-99 to 4-100
- port rectangles
  - in basic graphics ports 2-32
  - changing positions of 2-46 to 2-47
  - changing sizes of 2-46
  - changing window origins of 2-23 to 2-26, 2-45 to 2-46
  - in color graphics ports 4-51
  - defined 1-7
  - in graphics ports 2-11
  - scrolling pixels in 2-20 to 2-26, 2-43 to 2-44
- PortSize procedure 2-46
- PostScriptBegin picture comment B-8 to B-9, B-31, B-34
- PostScriptEnd picture comment B-9, B-31, B-35
- PostScriptFile picture comment B-6, B-41
- PostScriptHandle picture comment B-6, B-38 to B-39
- PostScript language, use in printing B-3 to B-44
- PostScript LaserWriter printers 9-76, B-7
- PostScript printer drivers 9-9
- 'ppat' resource type 4-24 to 4-25, 4-103
- PrCloseDoc procedure 9-21, 9-22, 9-68
- PrClosePage procedure 9-22, 9-70
- PrClose procedure 9-22, 9-37, 9-58
- PrCtlCall procedure 9-81 to 9-84
- PrDlgMain function 9-37, 9-63 to 9-64
- PrDrvrclose procedure 9-80
- PrDrvrdce function 9-80 to 9-81
- PrDrvropen procedure 9-79
- PrDrvrvers function 9-79
- PrError function 9-18, 9-21, 9-41 to 9-42, 9-75 to 9-77
- PrGeneral procedure 9-28 to 9-35, 9-42, 9-72 to 9-74
- Print command (File menu) 9-5 to 9-6, 9-7 to 9-8
- PrintDefault procedure 9-37, 9-59
- print dialog boxes
  - altering 9-35 to 9-38, 9-63 to 9-65, 9-86
  - data structure for 9-50 to 9-51
  - displaying 9-61 to 9-64
  - for multiple documents 9-26, 9-66
  - . See also job dialog boxes; print status dialog boxes; style dialog boxes
- print dialog box record. See TPrDlg record
- printer drivers
  - closing 9-58, 9-80
  - defined 9-3

- determining versions of 9-79
- device control entry for 9-80 to 9-81
- dialog boxes for 9-5 to 9-8, 9-13 to 9-14
- line layout capabilities of B-11 to B-17
- opening 9-57, 9-79
- picture comments supported by B-7
- PostScript 9-9
- QuickDraw 9-8 to 9-9
- resolutions for 9-11, 9-30 to 9-32
- printer resource files 9-3
- PrintErr global variable 9-78
- printers
  - current, device numbers of 9-48
  - current, feed types of 9-48
  - ImageWriter LQ B-7
  - information in TPrInfo records for 9-46
  - LaserWriter 9-7 to 9-8, 9-76, B-7
  - LaserWriter SC B-7
  - Personal LaserWriter LS B-7
  - PostScript LaserWriter 9-76, B-7
  - StyleWriter 9-6 to 9-7, 9-7 to 9-8, B-7
- print information record. *See* TPrInfo record
- printing
  - area for 9-10 to 9-11
  - canceling 9-14, 9-38 to 9-41, 9-85
  - deferred 9-24, 9-71 to 9-72
  - determining number of copies 9-19
  - determining number of pages 9-19, 9-23
  - dialog boxes for 9-5 to 9-8, 9-13 to 9-15, 9-50 to 9-51, 9-61 to 9-66
  - documents 9-18 to 9-26, 9-66 to 9-72
  - draft-quality 9-24, 9-55
  - enhanced draft-quality 9-33 to 9-35, 9-55, 9-73
  - error handling for 9-73, 9-75 to 9-78
  - from the Finder 9-25 to 9-26, 9-66
  - graphics ports for. *See* printing graphics ports
  - landscape, disabled 9-34
  - multiple documents 9-25 to 9-26, 9-66
  - with non-QuickDraw features B-3 to B-44
  - optimizing 9-72 to 9-74
  - picture comments for B-3 to B-44
  - resolutions for 9-30 to 9-32, 9-53 to 9-55
  - status 9-13 to 9-15, 9-49
  - user interface guidelines for 9-5 to 9-8, 9-13 to 9-15
  - whether landscape 9-32 to 9-33, 9-56, 9-73
- printing graphics ports
  - closing 9-68
  - creating 9-19, 9-67
  - data type for 9-51 to 9-52
  - defined 9-3 to 9-5
  - drawing into 9-19 to 9-24, 9-69 to 9-70
  - opening 9-19, 9-67
- printing loops 9-18 to 9-25
- Printing Manager 1-26 to 1-28, 9-3 to 9-105
  - application-defined routines for 9-84 to 9-86
  - data structures in 9-44 to 9-56
  - and Dialog Manager 9-5 to 9-8, 9-35 to 9-38
  - initializing 9-15, 9-57
  - low-level routines in 9-78 to 9-84
  - and QuickDraw 9-3 to 9-5
  - routines in 9-57 to 9-84
  - testing for availability 9-15
  - user interface guidelines for 9-5 to 9-8, 9-13 to 9-15
- printing status information. *See* TPrStatus record
- printing style record. *See* TPrStl record
- print job record. *See* TPrJob record
- print record. *See* TPrint record
- print status dialog boxes 9-13 to 9-15, 9-38 to 9-41
- PrJobDialog function 9-20, 9-62 to 9-63
- PrJobInit function 9-37, 9-65
- PrJobMerge procedure 9-26, 9-66
- PrOpenDoc function 9-21, 9-67
- PrOpenPage procedure 9-21, 9-69 to 9-70, B-4
- PrOpen procedure 9-20, 9-57
- PrPicFile procedure 9-21, 9-71 to 9-72
- PrSetError procedure 9-78
- PrStlDialog function 9-61 to 9-62
- PrStlInit function 9-64
- PrValidate function 9-18, 9-20, 9-60
- PSBeginNoSave picture comment B-6, B-41
- Pt2Rect procedure 3-56
- PtInRect function 3-56
- PtInRgn function 3-97, 8-11
- PtToAngle procedure 3-57

## Q

---

- QDColor global variable 4-71
- QDDone function 3-125 to 3-126
- QDError function 3-28, 3-30, 3-34, 4-94 to 4-95, 7-20
- QDProcs data type 3-39 to 3-40
- QDProcs record B-4
- QuickDraw 1-3 to 1-29
  - compatibility between versions 1-4
  - customizations of 3-35 to 3-36, 3-129, 4-96 to 4-97
  - and Dialog Manager 4-6
  - drawing with 1-10 to 1-17
  - historical development 1-4
  - initializing 2-36 to 2-37
  - low-level drawing routines 3-129 to 3-139
  - mathematical foundations of 2-4 to 2-7
  - multiple graphics device support in 1-21 to 1-23
  - picture comments supported by printer drivers
    - for B-7
  - printer drivers 9-8 to 9-9
  - and Printing Manager 9-3 to 9-5
  - printing with. *See* Printing Manager

. *See also* basic QuickDraw; Color QuickDraw; global coordinate systems; local coordinate systems; shapes  
 text 1-3  
 versions of 1-4  
 and the Window Manager 1-7 to 1-8

## R

---

ramInit flag 5-17, 5-23, 5-31, 5-36  
 randSeed global variable 2-36  
 reallocPix flag 6-14, 6-15, 6-25  
 RecordPictInfo function 7-56 to 7-57  
 RecordPixMapInfo function 7-57 to 7-58  
 rectangles  
   coordinates for 2-5 to 2-6  
   creating 3-53  
   data type for 2-27 to 2-28  
   defined 1-12 to 1-13  
   defining 3-22 to 3-23, 3-24  
   drawing 3-22 to 3-24, 3-58 to 3-62  
   emptiness of 3-58  
   equality of 3-58  
   erasing 3-61 to 3-62  
   expanding 3-54  
   filling  
     with bit patterns 3-23 to 3-24, 3-60 to 3-61  
     with pixel patterns 4-74  
   framing 3-22 to 3-23, 3-59  
   intersections of 3-55  
   inverting 3-62  
   low-level routine for drawing 3-132  
   mapping and scaling 3-106 to 3-107  
   moving 3-53 to 3-54  
   painting 3-23 to 3-24, 3-60  
   pixels in 3-56  
   and regions 3-91 to 3-92, 3-98  
   routines for managing 3-52 to 3-62, 3-104 to 3-108  
   scaling factors for 3-104 to 3-105  
   . *See also* boundary rectangles; bounding rectangles; port rectangles  
   shrinking 3-54  
   smallest around two points 3-56  
   unions of 3-55  
   used to define other shapes 3-11  
 Rect data type 2-27 to 2-28, A-4  
   . *See also* rectangles  
 RectInRgn function 3-98  
 RectRgn procedure 3-92, 8-11  
 Region data type 2-28 to 2-29  
   . *See also* regions  
 regions  
   arrow 8-9 to 8-12  
   copying 3-90 to 3-91  
   creating 3-87 to 3-89  
   data type for 2-28 to 2-29  
   defined 1-16  
   defining 3-27 to 3-30  
   disposing of 3-90  
   drawing 3-100 to 3-104  
   emptiness of 3-91, 3-99  
   equality of 3-98  
   erasing 3-102 to 3-103  
   expanding 3-93 to 3-94  
   filling  
     with bit patterns 3-102  
     with pixel patterns 4-77  
   framing 3-100 to 3-101  
   I-beam 8-9 to 8-12  
   intersections of 3-94 to 3-95, 3-96 to 3-97  
   inverting 3-103 to 3-104  
   low-level routine for drawing 3-135 to 3-136  
   mapping and scaling 3-107  
   mouse 8-9 to 8-12  
   moving 3-93  
   painting 3-101  
   pixels in 3-97  
   and rectangles 3-91 to 3-92, 3-98  
   routines for managing 3-85 to 3-104, 3-107  
   shrinking 3-93 to 3-94  
   subtracting 3-96  
   unions of 3-95, 3-96 to 3-97  
 resolutions  
   discrete 9-11  
   for screens 5-32  
   for pictures 7-11, 7-19  
   for printers 9-11, 9-30 to 9-32, 9-46, 9-53 to 9-55, 9-73  
   variable 9-11  
 resource forks 7-7  
 ResourcePS picture comment B-6, B-41  
 resources  
   animated cursor 8-13, 8-14, 8-36 to 8-37  
   color cursor 8-34 to 8-36  
   color icon 4-105 to 4-106  
   color-picking method 7-68  
   color table 4-104 to 4-105  
   cursor 8-13 to 8-14, 8-33 to 8-34  
   pattern 3-140  
   pattern list 3-141  
   picture 7-7, 7-20, 7-46, 7-67 to 7-68  
   pixel pattern 4-24 to 4-25, 4-103  
   screen 5-37  
 resource types  
   'acur' 8-13, 8-14, 8-36 to 8-37  
   'cicn' 4-105 to 4-106  
   'clut' 4-104 to 4-105  
   'cmt' 7-68  
   'crsr' 8-34 to 8-36

- 'CURS' 8-13 to 8-14, 8-33 to 8-34
  - 'PAT' 3-140
  - 'PAT#' 3-141
  - 'PICT' 7-7, 7-20, 7-46, 7-67 to 7-68
  - 'ppat' 4-24 to 4-25, 4-103
  - 'scrn' 5-37
  - RetrievePictInfo function 7-58 to 7-59
  - RGBBackColor procedure 4-72 to 4-73
  - RGBBkCol opcode A-6
  - RGBColorArray data type 7-64
  - RGBColor data type 4-55
    - . See also RGB colors
  - RGBColor records 1-19, 4-13 to 4-17
  - RGB colors 1-19
    - as pixel values 4-13 to 4-17
    - data type for 4-55
    - defined 4-4 to 4-5
  - RGBFgCol opcode A-6
  - RGBForeColor procedure 4-22, 4-70 to 4-71
  - Rgn data type A-4
  - RotateBegin picture comment B-6, B-9, B-29 to B-32
  - RotateCenter picture comment B-6, B-9, B-32
  - RotateCursor procedure 8-15, 8-32
  - RotateEnd picture comment B-6, B-9, B-29, B-32
  - rounded rectangles
    - defined 1-14
    - drawing 3-63 to 3-68
    - erasing 3-66 to 3-67
    - filling
      - with bit patterns 3-65 to 3-66
      - with pixel patterns 4-74 to 4-75
    - framing 3-64
    - inverting 3-67 to 3-68
    - low-level routine for drawing 3-133
    - painting 3-64 to 3-65
  - RowBytes data type A-4
  - ruled lines, printing B-33 to B-37
- S**
- 
- sample routines
    - DashDemo B-34
    - DoControlClick 2-19
    - DoGraphicsScroll 2-22
    - DoInit 8-6
    - DoIsLandscapeModeSet 9-33
    - DoNew 2-17, 4-20
    - DoPostScriptLine B-39
    - DoPrintDialog 9-37
    - DoSavePICTAsCmd 7-21
    - DoUpdate 5-8
    - DoZoomWindow 5-10 to 5-12
    - DrawInPort 2-18
    - HiliteDemonstration 4-43
    - MyAdjustCursor 8-10
    - MyAdjustDestRect 7-18
    - MyCopyBlackAndRedMasks 6-10
    - MyCreateAndDrawPict 7-11, A-22
    - MyDefineVertices B-26
    - MyDoPrintIdle 9-40
    - MyDrawArcAndPaintWedge 3-26
    - MyDrawDumbbell 3-28
    - MyDrawFilePicture 7-13
    - MyDrawLines 3-18
    - MyDrawOvals 3-25
    - MyDrawRects 3-23
    - MyDrawResPICT 7-20
    - MyDrawTriangle 3-30
    - MyDrawXString B-21
    - MyFileGetPic 7-16
    - MyFilePutPic 7-23
    - MyFillClipRegion 3-29
    - MyFlushGrafPortState B-10
    - MyFlushPostScriptState B-11
    - MyGetPICTProfileCount 7-25
    - MyGetPrintRecordForThisDoc 9-17
    - MyIsColorPort 7-16
    - MyLineWidthDemo B-37
    - MyPaintAndFillColorRects 4-22
    - MyPaintAndFillRects 3-24
    - MyPaintPixelPatternRects 4-25
    - MyPaintRectsThruGWorld 6-5
    - MyPastePict 7-17
    - MyPolygonDemo B-27
    - MyPrDialogAppend 9-37
    - MyPrintLoop 9-20
    - MyRepatternPens 3-21
    - MyReplaceGetPic 7-15
    - MyReplacePutPic 7-22
    - MyResizePens 3-20
    - MyRotateCursor 8-15
    - MySetHiliteMode 4-42
    - MySetNewLineWidth B-37
    - MyShrinkImages 3-33
    - MySpinCursor 8-15
    - MyStringReconDemo B-17
    - MyTrivialDrawingProc 5-9
  - ScalePt procedure 3-104 to 3-105
  - scrap
    - defined 7-7
    - pictures in 7-7 to 7-8, 7-17, 7-22
  - screenActive flag 5-17, 5-23, 5-31, 5-36
  - screenBits global variable 2-36
  - screenDevice flag 5-17, 5-23, 5-31, 5-36
  - screen resources 5-37
  - ScreenRes procedure 5-32
  - screens
    - determining characteristics of 5-29 to 5-32

- optimizing images for 5-8 to 5-13, 5-29 to 5-30, 5-35 to 5-37
- resolution of 5-32
- with greatest pixel depth 5-27 to 5-28
- ScrHRes global variable 5-32
- 'scrn' resource type 5-37
- scrolling pixels 2-20 to 2-26, 2-43 to 2-44
- ScrollRect procedure 2-21 to 2-23, 2-43 to 2-44
- ScrVRes global variable 5-32
- SectRect function 3-55, 5-11
- SectRgn procedure 3-94 to 3-95, 8-11
- SeedCFill procedure 4-82 to 4-83
- SeedFill procedure 3-109 to 3-110
- SetCCursor procedure 8-26 to 8-27
- SetClip procedure 2-48, 3-29
- SetCPixel procedure 4-73
- SetCursor procedure 8-11, 8-25
- SetDepth function 5-13, 5-34 to 5-35
- SetDeviceAttribute procedure 5-22 to 5-23
- SetEmptyRgn procedure 3-91
- SetFractEnable procedure B-15
- SetGDevice procedure 5-24
- SetGrayLevel picture comment B-40
- SetGWorld procedure 6-6, 6-29
- SetLineWidth picture comment B-6, B-35 to B-37
- SetOrigin procedure 2-45 to 2-46, 8-11
- SetPenState procedure 3-43 to 3-44
- SetPixelsState procedure 6-37 to 6-38
- SetPortBits procedure 2-50
- SetPortPix procedure 4-86 to 4-87
- SetPort procedure 2-18, 2-42
- SetPt procedure 2-54
- SetRect procedure 3-23, 3-25, 3-53, 5-11
- SetRectRgn procedure 3-91 to 3-92
- setRsLOp opcode 9-30 to 9-32, 9-52, 9-54 to 9-55
- SetStdCProcs procedure 4-96 to 4-97, 7-15, 7-23
- SetStdProcs procedure 3-130
- SetWindowPic procedure 7-13, 7-20
- shapes
  - calculations and manipulations 3-31 to 3-32
  - creating 1-10 to 1-17
  - defined 1-10 to 1-17
  - defining 3-11 to 3-12
  - drawing, erasing, and inverting 3-12 to 3-13
  - erasing 1-17
  - filling 1-17, 3-108 to 3-112
  - framing 1-17
  - painting 1-17
  - . See also arcs; lines; ovals; pictures; polygons; rectangles; regions; rounded rectangles; wedges
- ShieldCursor procedure 8-29
- ShortComment opcode A-12, A-21
- ShortLineFrom opcode A-7, A-19
- ShortLine opcode A-7, A-19
- Show\_Cursor procedure 8-30 to 8-31
- ShowCursor procedure 8-30
- ShowPen procedure 3-42
- singleDevices flag 5-30
- source modes 3-8 to 3-11, 4-32 to 4-37
- SpExtra opcode A-6, A-18
- SpinCursor procedure 8-15, 8-32 to 8-33
- spool files 9-8, 9-9, 9-25
- srcBic source mode 3-9 to 3-10, 3-114, 3-115, 4-33, 4-34, 4-41
- srcCopy source mode 3-9 to 3-10, 3-114, 3-115, 4-33, 4-41
- srcOr source mode 3-9 to 3-10, 3-114 to 3-115, 4-33 to 4-34, 4-41
- srcXor source mode 3-9 to 3-10, 3-114, 3-115, 4-33, 4-41
- StandardGetFile procedure 7-14
- standard state of a window 5-10
- startup screen 1-23
- status, of printing 9-13 to 9-15, 9-38 to 9-41, 9-49
- StdArc procedure 3-134
- StdBits procedure 3-136
- StdComment procedure 3-137, B-4
- StdGetPic procedure 3-138 to 3-139
- StdLine procedure 3-132, B-24, B-27
- StdOval procedure 3-133 to 3-134
- StdPoly procedure 3-135
- StdPutPic procedure 3-139, 7-14
- StdRect procedure 3-132
- StdRgn procedure 3-135 to 3-136
- StdRRect procedure 3-133
- StdText procedure 3-131
- StdTtxtMeas function 3-138
- stretchPix flag 6-14, 6-15, 6-24, 6-25
- StringBegin picture comment B-5, B-17
- StringEnd picture comment B-5, B-17
- style dialog boxes
  - altering 9-35 to 9-38, 9-63 to 9-64, 9-86
  - defined 9-6
  - displaying 9-61 to 9-62
  - for LaserWriter printers 9-7
  - for StyleWriter printers 9-6 to 9-7
- StyleWriter printers 9-6 to 9-8, B-7
- subOver arithmetic transfer mode 4-39, 4-40
- subPin arithmetic transfer mode 4-39, 4-40, 4-78
- SubPt procedure 2-53
- System 7 1-4

---

**T**

- TCenterRec data type B-20 to B-21, B-29
- TDashedLineRec data type B-33
- TDftBitsBlk data type 9-33 to 9-35, 9-55
- TestDeviceAttribute function 5-11, 5-31 to 5-32



text  
 in basic graphics ports 2-33 to 2-34  
 in color graphics ports 4-53  
 in graphics ports 2-13  
 low-level routine for drawing 3-131  
 low-level routine for measuring width 3-138  
 . *See also* text strings

TextBegin picture comment B-5, B-17 to B-20, B-21  
 TextCenter picture comment B-5, B-17 to B-18, B-19 to B-21  
 TextEnd picture comment B-5, B-17 to B-18, B-22  
 TextIsPostScript picture comment B-6, B-41  
 text streaming 9-82  
 text strings  
 delimiting with picture comments B-16 to B-17  
 rotating with picture comments B-17 to B-22

TFeed data type 9-48  
 TGetRotnBlk data type 9-32 to 9-33, 9-56  
 TGetRslBlk data type 9-30 to 9-31, 9-53 to 9-54  
 TGetData data type 9-52 to 9-53  
 TheGDevice global variable 5-4  
 thePat opcode A-18  
 thePort global variable 2-36  
 32-bit Color QuickDraw. *See* Color QuickDraw  
 TLineWidth data type B-35  
 TopMapHdl global variable 9-39  
 TPolyVerbRec data type B-25 to B-26  
 TPrDlg data type 9-50 to 9-51  
 TPrInfo data type 9-46  
 TPrint data type 9-38 to 9-39, 9-44 to 9-46  
 TPrint records  
 creating 9-17  
 defined 9-11 to 9-13  
 initializing 9-59  
 saving and reading 9-17 to 9-18  
 validating 9-60  
 TPrJob data type 9-38 to 9-39, 9-47 to 9-48  
 TPrPort data type 9-51 to 9-52  
 TPrPort records  
 closing 9-68  
 creating 9-19, 9-67  
 drawing into 9-24, 9-69 to 9-70  
 opening 9-19, 9-67  
 TPrStatus data type 9-49  
 TPrStl data type 9-48  
 transfer modes. *See* arithmetic transfer modes; Boolean transfer modes; pattern modes; source modes  
 transparent mode 4-39, 4-40  
 TRotationRec data type B-30  
 TRslRec data type 9-54  
 TRslRg data type 9-53  
 TSetRslBlk data type 9-31, 9-54 to 9-55  
 TTxtPicRecord data type B-19 to B-20  
 TxFace opcode A-5, A-18  
 TxFont opcode A-5, A-18

TxMode opcode A-5, A-18  
 TxRatio opcode A-6, A-19  
 TxSize opcode A-6, A-18

---

## U

UnionRect procedure 3-55  
 UnionRgn procedure 3-95  
 UnlockPixels procedure 6-6, 6-33 to 6-34  
 UpdateGWorld function 6-9, 6-23 to 6-26  
 user interface guidelines  
 for animated cursors 8-5, 8-13, 8-15  
 for color cursors 8-5  
 for cursors 8-4 to 8-5  
 for highlighting 4-44  
 for Printing Manager 9-13 to 9-15  
 for style and job dialog boxes 9-5 to 9-8  
 user state of a window 5-9  
 useTempMem flag 6-13, 6-14, 6-18, 6-20

---

## V

variable resolution 9-11, 9-30 to 9-32  
 version 1 format 7-5 to 7-6, A-3, A-5, A-18 to A-21, A-25 to A-26  
 version 2 format 7-5 to 7-6, 7-39, A-3, A-5 to A-16, A-24 to A-25  
 Version opcode A-6, A-13  
 video devices 1-19 to 1-20, 1-22 to 1-25, 5-3 to 5-37  
 visible regions 2-12  
 in basic graphics ports 2-32  
 in color graphics ports 4-51

---

## W

wedges  
 defined 1-14  
 drawing 3-26, 3-71 to 3-77  
 erasing 3-76  
 filling  
 with bit patterns 3-75  
 with pixel patterns 4-76  
 inverting 3-77  
 low-level routine for drawing 3-134  
 painting 3-73 to 3-74  
 . *See also* arcs  
 white global variable 2-36, 3-7  
 Window Manager  
 and pictures 7-13

- and QuickDraw 1-7 to 1-8
- window origins
  - changing 2-23 to 2-26, 2-45 to 2-46
  - defined 2-20
- windows
  - as graphics ports 1-7 to 1-8
  - scrolling through 2-20 to 2-26, 2-43 to 2-44
  - standard state 5-10
  - updating 2-24
  - user state 5-9
  - zooming 5-9 to 5-12
- wristwatch cursor 8-8 to 8-9

## X, Y

---

XorRgn procedure 3-96 to 3-97

## Z

---

0..255 data type A-4  
zooming windows 5-9 to 5-12  
ZoomWindow procedure 5-10, 5-12

