

# Index

---

## Numerals

---

- 32-bit addressing
  - testing for availability 1-15
- 32-bit quantities
  - multiplying to obtain 64-bit quantities 3-26
- 64-bit integer record 3-27

## A

---

- A5 register
  - saving when using Gestalt selector functions 1-11
- address errors 2-7
- Alarm Clock 4-6
  - default alarm time 7-5
- alert boxes
  - avoiding use of by system extensions 9-14
- alert definitions (System Error Handler) 2-17
- Alias Manager
  - testing for features 1-15
- A-line exception errors 2-8
- A-line instructions 8-10 to 8-20
  - for Operating System routines 8-11 to 8-14
  - for Toolbox routines 8-14 to 8-20
  - trap number 8-11
- AND (logical) operation on bits 3-16 to 3-17
- AngleFromSlope function 3-12, 3-38
- angles
  - defined 3-12
- angle-slope conversion utilities 3-12 to 3-14
  - accuracy of 3-14
- Apple Desktop Bus
  - testing for last keyboard used 1-19
- Apple Event Manager
  - and Package Manager 10-4
  - testing for availability 1-15
- AppleTalk drivers
  - testing for version 1-15
- AppleTalk node ID
  - and parameter RAM 7-5
- application creator string, as Gestalt selector code 1-11
- auto-key rate
  - and parameter RAM 7-6
- auto-key threshold
  - and parameter RAM 7-6
- auto-pop bit 8-20

- A/UX
  - testing for version 1-16

## B

---

- binary values
  - converting to hexadecimal values 3-5
- BitAnd function 3-16, 3-30
- BitClr procedure 3-15, 3-16, 3-29
- BitNot function 3-17, 3-31 to 3-32
- bit-numbering, reversed 3-7 to 3-8
- BitOr function 3-16, 3-30 to 3-31
- bits
  - defined 3-4
  - manipulating 3-14 to 3-16
  - testing 3-14 to 3-16
- BitSet procedure 3-15, 3-28 to 3-29
- BitShift function 3-17, 3-32
- BitTst function 3-14, 3-28
- BitXor function 3-16, 3-31
- bomb box. *See also* system errors 2-5
- BootBlkHdr data type 9-6
- boot block header
  - formats for 9-6
- boot block header record 9-6
- boot blocks 9-6 to 9-8
  - defined 9-6
- bus errors 2-7
- button definitions (System Error Handler) 2-19 to 2-20
- buttons
  - created by System Error Handler 2-5
- button-title definitions (System Error Handler) 2-20
- bytes
  - defined 3-4
  - hardcoding values into 3-19
  - masking out 3-17

## C

---

- calendars
  - Arabic CLC 4-17
  - Gregorian 4-17
  - Jewish 4-17
  - Julian 4-17

- caret-blink time
    - and parameter RAM 7-6
  - check exception errors 2-8
  - CHK instructions 2-8
  - clock chip 4-3
    - validity of settings 7-5
  - Color Picker
    - and Edition Manager 10-4
  - come-from patches 8-8 to 8-9
  - Communications Resource Manager
    - testing for availability 1-16
  - Communications Toolbox
    - testing for features 1-16
  - ComponentDescription data type
    - and control panel extensions 5-7
  - Component Manager
    - checking for features 1-7
  - ComponentResource data type
    - and control panel extensions 5-6
  - compression utilities 3-8 to 3-9, 3-20 to 3-22
  - Connection Manager
    - testing for features 1-16
  - Continue button (system error alert) 2-5
  - control panel extension-defined routines
    - MyPanelEvent function 5-26 to 5-27
    - MyPanelGetDITL function 5-21 to 5-22
    - MyPanelGetSettings function 5-29
    - MyPanelGetTitle function 5-23 to 5-24
    - MyPanelInstall function 5-22 to 5-23
    - MyPanelItem function 5-25 to 5-26
    - MyPanelRemove function 5-24 to 5-25
    - MyPanelSetSettings function 5-30
    - MyPanelValidateInput function 5-28
  - control panel extensions 5-3 to 5-34
    - creating a component for 5-6 to 5-9
    - extension-defined routines 5-20 to 5-30
    - opening resource files of 5-13
  - control panels
    - and control panel extensions 5-4 to 5-6
    - creating 5-3, 5-8
    - sound 5-8
    - video 5-8
  - CPUs, testing for type 1-22
  - crashes. *See* system errors
  - CustomGetFile procedure
    - testing for availability 1-24
  - CustomPutFile procedure
    - testing for availability 1-24
- D**
- 
- daisy chains 8-8
  - Data Access Manager
    - and Package Manager 10-5
    - testing for availability 1-16
  - data compression 3-8, 3-9
  - data decompression 3-8, 3-9
  - date
    - getting the current 4-9 to 4-10
  - Date & Time control panel 4-6
  - Date, Time, and Measurement Utilities 4-3 to 4-61
    - data structures in 4-23 to 4-32
    - routines in 4-32 to 4-49
  - Date2Secs procedure. *See* DateToSeconds procedure
  - date and time
    - getting the current 4-9 to 4-10, 4-33 to 4-36
    - updating 4-10 to 4-12, 4-36 to 4-38
  - dates
    - calculating 4-14 to 4-16
    - converting from short to long formats 4-13
  - date-time formats
    - converting between 4-14 to 4-16, 4-38 to 4-40
  - DateTimeRec data type 4-4 to 4-5, 4-23 to 4-25
  - date-time record 4-23 to 4-25
  - DateToSeconds procedure 4-38
  - day
    - getting the current 4-9 to 4-10
  - daylight saving time 4-19
  - decompression utilities 3-8 to 3-9
  - default application font
    - and parameter RAM 7-5
  - default operating system
    - data structure for 9-19
    - defined 9-10
    - identifying 9-25, 9-26
    - routines for 9-25 to 9-26
  - default operating system parameter block 9-19
  - default startup device
    - data structure for 9-18
    - defined 9-10
    - identifying 9-20
    - routines for 9-20 to 9-22
    - setting 9-22
    - timeout interval for 9-10
    - types of 9-18, 9-21
  - default startup device parameter block 9-18
  - default system errors 2-11
  - default timeout interval
    - defined 9-27
    - setting for startup drive 9-28
  - default video device
    - data structure for 9-19
    - defined 9-10
    - identifying 9-23
    - routines for 9-23 to 9-24
    - setting 9-24

default video device parameter block 9-19  
 Deferred Task Manager  
     and Queue Utilities 6-10, 6-12, 6-15  
 DefOSRec data type 9-19  
 DefVideoRec data type 9-19  
 Dequeue function 6-11 to 6-13, 6-16 to 6-17  
 dialog boxes  
     avoiding use of by system extensions 9-14  
 Dialog Manager  
     testing for features 1-17  
 Dictionary Manager  
     testing for availability 1-7  
 Disk Initialization Manager  
     and Package Manager 10-3  
 disk-insertion required errors 2-10  
 division by zero 2-8  
 DIVS instructions 2-8  
 DIVU instructions 2-8  
 dlsDelta field 4-29  
 double-click time  
     and parameter RAM 7-6  
 driver descriptor record  
     use during system startup 9-25  
 'DSAT' resource type 2-16 to 2-20

## E

---

Easy Access  
     testing for features 1-17  
 Edition Manager  
     and Package Manager 10-4  
     testing for features 1-17  
 Enqueue procedure 6-10 to 6-11, 6-15 to 6-16  
 environment, getting information about. *See* Gestalt  
     Manager  
 era 4-6, 4-26  
 errors  
     system. *See* system errors  
 Event Manager  
     and Queue Utilities 6-10, 6-12, 6-15  
 exception errors 2-8  
 exception stack frames 8-10  
 extensions. *See* system extensions

## F

---

File Manager  
     and Queue Utilities 6-10, 6-12, 6-15  
 file map destroyed errors 2-10  
 file system, testing for features 1-18

File Transfer Manager  
     testing for features 1-18  
 Finder not found errors 2-11  
 FindFolder function  
     testing for availability 1-18  
 Fix2Frac function 3-44  
 Fix2Long function 3-44  
 Fix2X function 3-45  
 FixATan2 function 3-42 to 3-43  
 FixDiv function 3-39 to 3-40  
 Fixed data type 3-11  
 Fixed data type. *See also* fixed-point data types  
 fixed-point data types 3-11 to 3-12  
     converting to other numeric types 3-24 to 3-26  
     division by 0 3-12  
     overflow handling 3-12  
     performing operations on 3-24 to 3-26  
 FixMul function 3-38 to 3-39  
 FixRatio function 3-25, 3-46 to 3-47  
 FixRound function 3-25, 3-47  
 F-line exception errors 2-8  
 Floating-Point Arithmetic Package  
     and Package Manager 10-3  
 floating-point errors 2-9  
 floating-point unit (FPU)  
     testing for type 1-18  
 Font Manager  
     testing for features 1-18  
 FPU. *See* floating-point unit  
 Frac2Fix function 3-44  
 Frac2X function 3-46  
 FracCos function 3-42  
 FracDiv function 3-40 to 3-41  
 FracMul function 3-40  
 FracSin function 3-42  
 FracSqrt function 3-41  
 Fract data type. *See also* fixed-point data types  
     range of values  
 function results  
     Operating System routines 8-13  
     Toolbox routines 8-19 to 8-20

## G

---

geographic location 4-7, 4-18 to 4-21  
 geographic location record 4-29 to 4-30  
 Gestalt function 1-31 to 1-33  
     adding selectors to 1-10 to 1-13  
     relation to SysEnviron and Environ 1-4  
     selector codes 1-14 to 1-28  
     testing for availability 1-5

Gestalt Manager 1-3 to 1-68  
 constants 1-14 to 1-28  
 data structures in 1-28 to 1-30  
 response parameter of 1-6  
 routines in 1-30 to 1-36  
 testing for availability 1-5  
 testing for version 1-25  
 Gestalt selector codes  
 adding 1-11 to 1-13, 1-33  
 defined 1-6  
 environmental 1-7 to 1-9, 1-15 to 1-25  
 environmental versus informational 1-7  
 informational 1-9, 1-26 to 1-28  
 modifying 1-11 to 1-13, 1-35  
 suffixes in 1-9  
 GetDateTime procedure 4-35  
 GetDefaultStartup procedure 9-20  
 GetOSDefault procedure 9-25  
 GetOSTrapAddress function 8-26  
 GetSysPPtr function 7-7 to 7-8, 7-11 to 7-12  
 GetTimeout procedure 9-27  
 GetTime procedure 4-35  
 GetToolboxTrapAddress function 8-26 to 8-27  
 GetTrapAddress function 8-32 to 8-33  
 GetVideoDefault procedure 9-23  
 global timing variables 9-9  
 global variables. *See* system global variables 1-19  
 GMT (Greenwich mean time) 4-18  
 Greenwich mean time (GMT) 4-18  
 Gregorian calendar 4-17

---

## H

hardware environment, testing for features 1-26  
 head patches 8-8  
 Help Manager  
 and Package Manager 10-5  
 testing for availability 1-18  
 hexadecimal values  
 converting to binary values 3-5  
 high-order bit 3-4  
 HiWord function 3-18, 3-33

---

## I

icon definitions (System Error Handler) 2-18 to 2-19  
 icons  
 default for system extensions 9-14, 9-16  
 Icon Utilities  
 checking for availability 1-18  
 illegal instruction errors 2-8

Image Compression Manager  
 checking for version 1-7  
 InitAllPacks procedure 10-7  
 InitPack procedure 10-7  
 InitUtil function 7-7, 7-8, 7-10  
 Int64Bit data type 3-27  
 interrupt time  
 calling Gestalt at 1-31  
 I/O system errors 2-9  
 IsMetric function 4-48 to 4-49  
 'itl0' resource  
 determining the measurement system 4-21

---

## K

kComponentCloseSelect constant 5-9  
 kComponentOpenSelect constant 5-9  
 keyboards  
 testing for type with Gestalt 1-18  
 testing for type with SysEnviron 1-30

---

## L

latitude 4-19, 4-29  
 least significant bit 3-4  
 List Manager  
 and Package Manager 10-3  
 logical operations. *See* Mathematical and Logical Utilities  
 logical RAM, testing for size 1-19  
 Long2Fix function 3-43  
 LongDate2Secs. *See* LongDateToSeconds procedure  
 long date-time formats  
 converting between 4-40 to 4-41  
 LongDateCvt data type 4-25  
 LongDateRec data type 4-5 to 4-6, 4-26 to 4-28  
 long date-time record 4-5 to 4-6  
 long date-time record 4-26 to 4-28  
 long date-time value 4-25  
 LongDateToSeconds procedure 4-41  
 longitude 4-19, 4-29  
 LongMul procedure 3-26, 3-47  
 LongSecondsToDate procedure 4-40 to 4-41  
 LongSecs2Date. *See* LongSecondsToDate procedure  
 long words  
 performing logical operations on 3-16 to 3-18  
 setting high word of 3-19  
 setting low word of 3-19

low-memory global variables  
 testing for size 1-19  
 LoWord function 3-18, 3-33

## M

---

machine icon, testing for 1-26  
 MachineLocation datatype 4-29  
 machine name 1-27  
 machine type, testing for 1-26, 1-29  
 MacPaint images  
   compressing 3-9  
 Map control panel 4-7  
 masking out bytes 3-17  
 Mathematical and Logical Utilities 3-3 to 3-52  
   calculating angle from slope 3-12 to 3-14  
   calculating slope from angle 3-12 to 3-14  
   clearing bits 3-15  
   data structures in 3-27  
   logical operations on bits 3-16 to 3-18  
   obtaining pseudorandom numbers 3-22 to 3-24  
   routines in 3-27 to 3-47  
   setting bits 3-15  
   shifting bits 3-17 to 3-18  
   working with Fixed numbers 3-11 to 3-12  
 MC680x0 microprocessor, testing for type 1-29  
 measurement systems  
   determining 4-21  
   English system 4-8  
   metric system 4-8  
 memory management unit (MMU)  
   testing for type 1-20  
 menu blinking  
   and parameter RAM 7-6  
   setting in parameter RAM 7-3  
 menu purged errors 2-11  
 metric system  
   measurement system 4-8  
 Microseconds procedure 4-49  
 miscellaneous exception errors 2-9  
 modem port  
   communications settings of 7-5  
 month field 4-23  
 most significant bit 3-4  
 mouse scaling  
   and parameter RAM 7-6  
 .MPP driver, determining version number 1-15  
 MyPanelEvent function 5-26 to 5-27  
 MyPanelGetDITL function 5-21 to 5-22  
 MyPanelGetSettings function 5-29  
 MyPanelGetTitle function 5-23 to 5-24  
 MyPanelInstall function 5-22 to 5-23  
 MyPanelItem function 5-25 to 5-26

MyPanelRemove function 5-24 to 5-25  
 MyPanelSetSettings function 5-30  
 MyPanelValidateInput function 5-28  
 MyResumeProc procedure 2-15  
 MySelectorFunction function 1-37

## N

---

negative zcbFree value errors 2-11  
 NewGestalt function 1-11, 1-12, 1-34 to 1-35  
 NGetTrapAddress function 8-27 to 8-28  
 NOT (logical) operation on bits 3-17 to 3-18  
 Notification Manager  
   and Queue Utilities 6-10, 6-12, 6-15  
   testing for availability 1-20  
   use by system extensions 9-14  
 NSetTrapAddress procedure 8-30 to 8-31  
 NuBus slots  
   testing for locations 1-20  
 numeric-format resource  
   determining measurement system 4-21

## O

---

Operating System  
   testing for features 1-20  
 operating system  
   default on startup. *See* default operating system  
 Operating System parameter-passing conventions 8-13  
 operating-system queues 6-3 to 6-21  
   adding new elements to 6-10, 6-15  
   generic routines for manipulating 6-15 to 6-17  
   queue elements 6-6 to 6-11  
   queue headers 6-5  
   removing elements from 6-11, 6-16  
 Operating System trap dispatch table 8-5  
   testing for base address 1-21  
 Operating System traps 8-10, 8-11  
 OR (logical) operation on bits 3-16 to 3-17  
 outline fonts  
   testing for availability 1-18  
 out-of-memory errors 2-9

## P

---

Package Manager 10-3 to 10-10  
   and Apple Event Manager 10-4  
   and Color Picker 10-4  
   and Data Access Manager 10-5

Package Manager (*continued*)  
 and Disk Initialization Manager 10-3  
 and Edition Manager 10-4  
 and Floating-Point Arithmetic Package 10-3  
 and Help Manager 10-5  
 and List Manager 10-3  
 and Picture Utilities 10-5  
 and PPC Browser 10-4  
 and Standard File Package 10-3  
 and Text Utilities 10-4  
 and Transcendental Functions Package 10-4  
 routines in 10-6 to 10-7  
 package resource IDs 10-3 to 10-5  
 package resources 10-3 to 10-5  
 packages 10-3 to 10-5  
 PackBits procedure 3-8, 3-9, 3-20, 3-34 to 3-35  
 'PACK' resource type 10-3  
 pages (memory), testing for size 1-19  
 panels  
   and control panel extensions 5-4 to ??  
 parameter-passing conventions  
   Operating System routines 8-13  
   Toolbox routines 8-18 to 8-19  
 parameter RAM  
   changing settings in 7-7 to 7-8  
   information stored in 7-3 to 7-7  
   low-memory copy of 7-8  
   restoring default values in 7-7, 7-13  
 Parameter RAM Utilities 7-3 to 7-16  
   data structures in 7-9 to 7-10  
   routines in 7-10 to 7-13  
 parity-checking, testing for attributes 1-21  
 parity RAM, testing for size 1-20  
 patches 8-6 to 8-9  
   come-from 8-8 to 8-9  
   daisy chain of 8-8  
   head 8-8  
   tail 8-8  
 patching a system software routine 8-6 to 8-8, 8-23 to 8-25  
 patching a trap. *See* patching a system software routine  
 physical RAM, testing for size 1-21  
 Picture Utilities  
   and Package Manager 10-5  
 pop-up control definition  
   testing for availability 1-21  
 Power Manager  
   and Queue Utilities 6-15  
   testing for 1-21  
 PPC Browser  
   and Package Manager 10-4  
 printer port  
   communications settings of 7-5  
 privilege violation errors 2-8

Program-to-Program Communications (PPC) Toolbox  
 testing for features 1-21  
 pseudorandom number generation 3-9 to 3-10  
   obtaining a pseudorandom number 3-22 to 3-24

## Q

---

QElem data type 6-6 to 6-11, 6-13 to 6-15  
 QHdr data type 6-5, 6-13  
 QTypes data type 6-13  
 queue elements  
   adding new 6-10, 6-15  
   defined 6-6  
   removing from queues 6-11, 6-16  
 queue headers 6-5, 6-13  
 queues. *See* operating-system queues  
 queue types 6-7  
 Queue Utilities 6-3 to 6-21  
   and Deferred Task Manager 6-10, 6-12, 6-15  
   and Event Manager 6-10, 6-12, 6-15  
   and File Manager 6-10, 6-12, 6-15  
   and Notification Manager 6-10, 6-12, 6-15  
   and Power Manager 6-15  
   and Slot Manager 6-10, 6-12, 6-15  
   and Time Manager 6-7  
   and Vertical Retrace Manager 6-10, 6-12, 6-15  
   data structures in 6-13 to 6-15  
   routines in 6-15 to 6-17  
 QuickDraw  
   testing for features 1-22  
   testing for version 1-22

## R

---

RAM  
   checking size of 1-21  
   parity 1-21  
 Random function 3-36 to 3-37  
   distribution of output 3-10  
   example of 3-23  
 random number generation. *See* pseudorandom  
   number generation  
 randSeed global variable 3-10, 3-37  
 ReadDateTime function 4-34  
 ReadLocation procedure 4-46 to 4-47  
 register-based routines 8-12  
 ReplaceGestalt function 1-13, 1-35 to 1-36  
 Resource Manager  
   testing for features 1-22  
 resources  
   compressing 3-20 to 3-21

resources (*continued*)  
 decompressing 3-21 to 3-22  
 package 10-3  
 system heap zone 9-16  
 ResourceSpec data type  
 and control panel extensions 5-7  
 resource types  
 'DSAT' 2-16 to 2-20  
 'PACK' 10-3  
 'sysz' 9-16  
 'thng' 5-6 to 5-8  
 Restart button (system error alert) 2-5  
 Resume button (system error alert) 2-5  
 resume procedures 2-11 to 2-12  
 reversed bit-numbering 3-7 to 3-8  
 RndSeed system global variable 3-37  
 ROM  
 testing for size 1-28  
 testing for version 1-28  
 routine selectors 8-21  
 RTE instructions  
 erroneous execution of 2-8

## S

---

sad Macintosh icon 2-13  
 Scrap Manager  
 testing for features 1-23  
 Script Manager  
 testing for version 1-23  
 script systems  
 testing for number 1-23  
 scrolling throttle, testing for 1-20  
 SCSI (based on 53C80 chip)  
 checking for availability 1-26  
 SecondsToDate procedure 4-38 to 4-39  
 Secs2Date procedure. *See* SecondsToDate  
 procedure  
 segment loader errors 2-9, 2-10  
 selector codes. *See* Gestalt selector codes  
 selectors. *See* Gestalt selector codes  
 serial hardware, testing for features 1-8  
 SetDateTime function 4-36 to 4-37  
 SetDefaultStartup procedure 9-22  
 SetOSDefault procedure 9-26  
 SetOSTrapAddress procedure 8-29  
 SetTimeout procedure 9-28  
 SetTime procedure 4-37  
 SetToolboxTrapAddress procedure 8-29 to 8-30  
 SetTrapAddress procedure 8-33  
 SetVideoDefault procedure 9-24  
 shifting bits 3-17 to 3-18  
 SHIFT operation on bits 3-17 to 3-18

signed values 3-5  
 64-bit integer record 3-27  
 SlopeFromAngle function 3-12, 3-37  
 slopes  
 defined 3-13  
 Slot Manager  
 and Queue Utilities 6-10, 6-12, 6-15  
 slots  
 testing for locations 1-20  
 slot secondary init code  
 when initialized 9-5  
 Sound control panel  
 and panels 5-4  
 sound hardware  
 testing for features 1-23  
 sound panels  
 creating 5-8  
 speaker volume  
 and parameter RAM 7-6  
 special folders  
 testing for availability 1-18  
 spurious interrupt errors 2-9  
 square menu bar, testing for 1-20  
 stack-based routines  
 calling conventions 8-16 to 8-17  
 stack overflow errors 2-10  
 Standard File Package  
 and Package Manager 10-3  
 testing for features 1-24  
 StandardGetFile procedure  
 testing for 1-24  
 StandardNBP function  
 testing for 1-24  
 StandardPutFile procedure  
 testing for 1-24  
 Start Manager 9-9 to 9-28  
 data structures in 9-18 to 9-20  
 routines in 9-20 to 9-28  
 startup device  
 default. *See* default startup device  
 startup disk  
 and parameter RAM 7-6  
 startup process  
 message during 2-4  
 StuffHex procedure 3-19, 3-33 to 3-34  
 SysEnviron function 1-4, 1-14, 1-32 to 1-33  
 SysEnvRec data type 1-28 to 1-30  
 SysError procedure 2-13 to 2-14  
 calling directly from an application 2-6  
 SysParam global variable 7-8  
 SysParmType data type 7-4 to 7-7, 7-9 to 7-10  
 default values of 7-7  
 system environment records 1-28 to 1-30  
 system error alert 2-5

- system error alert box
  - layout of 2-5
- system error alert table 2-16 to 2-20
- system error alert table resources 2-16 to 2-20
  - structure of 2-16 to 2-17
- System Error Handler 2-3 to 2-22
  - display mechanism 2-3
  - resources in 2-15 to 2-20
  - routines in 2-13 to 2-14
- system error IDs 2-7 to 2-11
- system errors 2-3 to 2-22
  - default 2-11
  - I/O 2-9
  - list of 2-7 to 2-11
  - transparent 2-6
- system extensions
  - and system startup 9-5
  - differences from an application 9-12
  - example of 9-11
  - human interface guidelines for 9-16
  - installing and removing 9-14
  - writing 9-10 to 9-13
- System file, testing for version 1-28
- system global variables
  - testing for size 1-19
- system heap zone resources 9-16
- system initialization, process of 9-3 to 9-4
- system parameters record 7-5, 7-9
  - default values of 7-7
- system software routines
  - determining if available 8-21 to 8-23
  - patching 8-23 to 8-25
- system startup, process of 9-4 to 9-6
- system startup alert box 2-4
- system startup information
  - defined 9-6
- system startup messages 2-4

## T

---

- tail patches 8-8
- temporary memory
  - testing for features 1-20
- Terminal Manager
  - testing for features 1-25
- text definitions (System Error Handler) 2-17 to 2-18
- TextEdit
  - testing for version 1-25
- Text Services Manager
  - testing for version 1-9
- Text Utilites
  - and Package Manager 10-4

- 'thing' resource type
  - for control panel extensions 5-6 to 5-8
- time
  - getting the current 4-9 to 4-10
  - GMT 4-18
  - setting 4-10 to 4-12
  - setting. *See* Alarm Clock, Date & Time control panel
- TimeDBRA global variable
  - limitations of 9-9
- Time Manager
  - and operating-system queues 6-7
  - testing for version 1-25
- TimeSCCDB global variable 9-9
- TimeSCSIDB global variable 9-9
- time-zone information 4-7, 4-18 to 4-21
  - reading 4-46 to 4-48
  - setting 4-46 to 4-48
- ToggleDate function 4-42 to 4-44
- toggle parameter block 4-30 to 4-32
- TogglePB data type 4-30
- Toolbox trap dispatch table 8-5
  - testing for base address 1-25
  - testing for discontinuous half 1-17
- Toolbox traps 8-14
- trace exception errors 2-8
- Transcendental Functions Package
  - and Package Manager 10-4
- Translation Manager
  - testing for availability 1-17
- trap dispatcher 8-12, 8-15
- trap dispatch table
  - testing for base address 1-21, 1-25
- trap dispatch tables 8-5
- trap macros 8-20 to 8-21
- Trap Manager 8-3 to 8-33
  - getting a trap address 8-25 to 8-28
  - patching a trap 8-6 to 8-8, 8-23 to 8-25
  - routines 8-25 to 8-33
  - setting a trap address 8-28 to 8-33
- trap-on-overflow exception errors 2-8
- TRAPV instructions 2-8
- TrueType fonts
  - testing for availability 1-18

## U

---

- unimplemented core routine errors 2-9
- Unimplemented procedure 8-6, 8-32
- UnpackBits procedure 3-8, 3-20, 3-35 to 3-36
- unsigned wide record 4-32



## V

---

`ValidDate` function 4-45 to 4-46  
Vector Base Register (VBR) 8-11  
Vertical Retrace Manager  
    and Queue Utilities 6-10, 6-12, 6-15  
video device  
    default on startup. *See* default video device  
video panels  
    creating 5-8  
`VideoPanelType` constant 5-8  
virtual memory  
    testing for availability 1-25

## W

---

word boundaries 3-5  
words  
    defined 3-5  
    extracting from long words 3-18  
working directory reference number, of System  
    file 1-14  
`WriteLocation` procedure 4-47 to 4-48  
`WriteParam` function 7-7 to 7-8, 7-12 to 7-13  
wrong disk inserted errors 2-10

## X

---

`X2Fix` function 3-45  
`X2Frac` function 3-46  
XOR (logical) operation on bits 3-16 to 3-17

## Z

---

zero divide errors 2-8